

G-C TV TENNA-KOAT



Clear plastic coating to minimize TV antenna corrosion, maintain strong signal. Also coat lead connections, retard moisture. Apply with brush. Fast drying.

No. 24-2 List \$0.75
2-oz.

G-C TELEVISION CHEMICAL KIT



Complete kit of essential chemicals needed for TV set servicing. Saves time and money. Handy metal box contains 9 chemicals such as Corona Dope,

Tube-Koat, Tenna-Koat, De-Ox-Id, Lens Cleaner, etc.

No. 904 List \$0.95
Kit

G-C TELEVISION HIGH VOLTAGE CORONA DOPE



Used by manufacturers and servicemen to prevent corona shorts on high voltage circuits in Television sets. Easy to apply, air-drying. It has very excellent high voltage insulating qualities.

No. 47-2 List \$1.20
2-oz.

G-C TV LENS & TUBE CLEANER



Specially prepared for cleaning TV lenses and CR tubes. Eliminates finger marks and spots, restores sharp, clear picture. Good item to sell every TV set owner.

No. 216-2 List \$0.60
2-oz.

G-C SILVER PRINT



Same "Pure Silver" compound as used by manufacturers in Printed Circuit design. You need G-C Silver Print to repair those Printed Circuits, to touch up the circuit around eyelets, rivets, parts, etc. Also handy for experimenters, engineers, laboratories, etc.

No. 21-2 List \$7.75
1-Troy oz.
21-1 3.95
1/2-Troy oz.

G-C LIQUIDOPE



All wave nitrocellulose base dope for coils. Air dries fast to tough film that insures toughness and firmness. Use for sealing, doping, supporting coils, etc.

No. 36-2 List \$0.75
2-oz.

G-C ELECTRONIC HYPO-DERMIC NEEDLE INJECTOR



A handy applicator on the hypodermic principle; for injecting cleaners and oils into tight places. Supplied with 2-oz. bottle.

No. 8383 List \$0.75
Hypodermic Needle

G-C RADIO CHASSIS CLEANER




Clean the chassis and make extra money on every repair job. Satisfy your customer. For radio chassis, panels, testers, etc. Non-explosive cleaner.

No. 123-8 List \$0.95
8-oz.



GENERAL CEMENT TV • RADIO CHEMICALS

G-C TELEVISION TUBE KOAT



A black conductive coating for outside of glass TV tubes and for interior of cabinets to ground high potential, built up for TV tubes.

No. 49-2 List \$0.95
2-oz.

NEW G-C RED-X CORONA DOPE



Prevent corona shorts on high voltage TV circuits with this all-new G-C product. Easy to apply. Air dries faster. Excellent high voltage insulating qualities.

No. 50-2 List \$1.20
2-oz.

G-C MAG-NETIK HEAD CLEANER



Cleans tape and wire recorder head mechanisms. Does not leave scum or film. Should be used regularly for best recordings.

No. 53-1 List \$0.95
53-2 1.60
1-oz. bottle
2-oz. bottle

G-C FUNGUS VARNISH



Used on radio equipment and instruments to insulate and prevent fungus growth in moist or humid climates. Air dry, brush or spray.

No. 57-2 List \$0.75
2-oz.

G-C INSULATING & DIPPING VARNISH



For treating field coils, noisy or buzzing transformers and chokes. Air dries to a tough insulating film. Can be brushed or dipped.

No. 56-2 List \$0.75
2-oz.

G-C DE-OX-ID KIT "Ideal for Television Controls"



Handy kit contains 2-oz. of De-Ox-Id and hypodermic injector in box.

No. 8460 List \$1.95
Kit

G-C GRAFOLINE



Noiseless lubricant for air exposed switch contacts, rheostats, relays, wire volume controls, tube prongs, etc. Increases current capacity of switch controls. Cleans also.

No. 120-2 List \$0.75
2-oz.



G-C TV SPRA-KLEEN

Pressurized electrical contact cleaner and lubricant. Fast, easy to use, no spillage. Saves removing chassis or parts.

No. 8666 List \$1.20
6-oz.

G-C DE-NOIZ TV CONTACT & DETENT CLEANER



New secret ingredients dissolve corrosion and oxidation on contacts, stops noise on contacts, volume controls, tuners, detents, switches, relays, etc.

No. 51-1 List \$0.95
51-2 1.60
1-oz. bottle
2-oz. bottle with Applicator

G-C SILICONE COMPOUND



"The miracle moisture and water-proofing compound for Television and FM"

A permanent water-proofing material for TV and FM leads.

No. 8100 List \$1.65
1-oz. Tube

G-C Q-DOPE & Q-DOPE THINNER



Liquid polystyrene low loss coil dope for RF, UHF, and VHF components. Performs -70°F. to 160°F.

No. 37-2 List \$0.75
41-2 Thinner 2-oz. .60
2-oz.

G-C DE-OX-ID



"Television Contact Cleaner" Liquid chemical for all electronic contacts and controls. It cleans, lubricates, and preserves. Recommended for volume and tone controls, relay contacts, push-buttons, etc. Dissolves corrosion and oxidation.

No. 19-1 List \$0.95
19-2 1.60
1-oz.
2-oz.

G-C RED ELECTRONIC CONTACT CLEANER



The best and only all-purpose cleaner. Dissolves the dirt and removes corrosion. Leaves protective film on contacts to prevent corrosion.

No. 210-2 List \$0.75
2-oz.

G-C VINYL PLASTIC FABRIC CEMENT



Made for cementing vinyl plastic sheets together. Ideal for vinyl insulating tubings, patching plastic raincoats, etc. Dries fast.

No. 16-2 List \$0.75
2-oz. bottle



GENERAL CEMENT

TV • RADIO CHEMICALS

**ALL CHEMICALS AVAILABLE
IN LARGER SIZE CONTAINERS!**

**Ask your distributor
for large, complete**

**G-C CATALOG
FREE!**

or write direct!



G-C RADIO-TV SERVICE CEMENT



The best Cement for repairing radios and speakers. Excellent for repairing and replacing torn cones. Vibration-proof, water-proof and fast drying. Brushes attached.

No.		List
30-2	2-oz.	\$0.75
34-2	Tube	.75

G-C RUBBER TO METAL DIAL DRIVE CEMENT



For cementing rubber drives to shafts, rubber mountings, gaskets, hose, weather stripping, for radios, refrigerators, autos, etc.

No.		List
35-2	2-oz.	\$0.75
35-3	Tube	.75

G-C BAKELITE CEMENT



For cementing bakelite to bakelite and bakelite to other materials. For repairing knobs, cabinets, panels, for inserts in moldings, attaching labels to plastics, etc. Brush attached.

No.		List
32-2	2-oz.	\$0.75

G-C VINYLITE CEMENT



Clear transparent adhesive, air drying. For cementing metals, plastics, paper, leather, etc. Used also as thermoplastic cement for non-porous materials. Sets on cooling. Brush attached.

No.		List
58-2	2-oz.	\$0.75


G-C HOUSEHOLD & MODEL CEMENT



Best cement for model makers, household, and office use. For air-planes, railroads, ships, toys, etc. Will cement wood, paper, plastics, metal, china, ceramics, etc. Fast drying, water-proof. Brush attached.

No.		List
45-2	2-oz.	\$0.75
45-3	Tube	.50

G-C FABRIC TO METAL CEMENT



For cementing cloth and felt to metal or plastics. Best for grille cloth, phono turntable felts, upholstering, fabrics, etc. Fast drying, water-proof.

No.		List
22-2	2-oz.	\$0.75

G-C WOOD GLUE



New white resin water-proof glue for radio cabinets, furniture, chairs, etc. Will not injure finish. Extra strong.

No.		List
39-2	2-oz.	\$0.75

G-C PLI-O-BOND CEMENT



Sticks anything to anything. Cold setting, rubber-like, thermoplastic cement that dries rapidly with a flexible and very strong bond. For iron, steel, plastics, glass, cloth, plastic fabrics, etc.

No.		List
43-2	2-oz.	\$0.75

G-C ELECTRICAL AND RESISTOR CEMENT



Heat-proof cement, hardens like porcelain. Same as on resistors, flat irons, etc.

No.		List
27-2	2-oz.	\$0.75

G-C ACRYLIC CEMENT



Welds and cements lucite, plexiglas, and other acrylic materials. Strong, fast drying. Brush attached.

No.		List
40-2	2-oz.	\$0.75

G-C CONTROL KLEENER



Cleans and lubricates volume, brightness, tone and other controls. Also for push button, switches, contacts and tuners. Will not harm finishes of wood, acetate, metal, etc. Can be used with G-C No. 9280 Control Gun.

No. 65-16	List \$ 3.25
16 oz. Control Kleener	
No. 65-G	List 15.00
1 gallon Control Kleener	

G-C LABEL CEMENT



Sticks labels to anything—metal, glass, wood, tin, bakelite, plastics, etc. Good for cementing labels to bins, racks, water-proofing labels, etc.

No.		List
46-2	2-oz.	\$0.75

G-C CEMENT SAMPLER KIT



What kind of cement shall I use? Get this kit and experiment with all types of cements available. Cements for all applications included so you can try them yourself for your application. 10-2-oz. bottles in Kit.

No.		List
345	Kit	\$9.95

G-C CEMENT THINNER



Made of same solvents as G-C Service Cement. Best thinner for all cements.

No.		List
28-2	2-oz.	\$0.60

G-C RADIO SERVICE SOLVENT



Best Solvent for loosening cement on speaker cones, frames, etc. Will dissolve all cements on speakers. Brush attached.

No.		List
31-2	2-oz.	\$0.60

G-C LACQUER THINNER



Will thin all lacquers, lacquer enamels, telephone black or gray, touch-up lacquers, airplane dopes, model cements, etc.

No.		List
29-2	2-oz.	\$0.60

G-C No. 67 PAINT THINNER



For Ruf-Koat, Krome-Koat, B-K Cement, Insulating Varnish, Rubber Cements, and ordinary paints.

No.		List
67-2	2-oz.	\$0.60

G-C PLASTIC CEMENT



For cementing broken plastic cabinets, knobs, dial and crystal assemblies, grille cloth, etc. Fast drying. Brush attached.

No.		List
32-2A	2-oz.	\$0.75



G-C PRINTED CIRCUIT SERVICE MANUAL

Instruction book for repairing printed circuits. Well illustrated to show you easy methods of repairing printed circuits. Ask your distributor for a

copy or write to G-C. Enclose 10¢ for handling and mailing.



GENERAL CEMENT PRINTED CIRCUIT SERVICE AIDS



G-C PRINTED CIRCUIT KIT

A must for every serviceman for repair of printed circuits. Here's a kit that makes printed circuit repair easy. No service shop is complete without one.

G-C No. 680 — PRINTED CIRCUIT SILICONE RESIN SERVICE KIT

The complete kit. Contains all the materials needed to repair any printed circuit in radio or TV sets.

Kit contains the following:

- 1—14-2 Print-Kote Silicone Resin
- 1—13-2 Print-Kote Solvent
- 1—21-1 ½ oz. Pure Silver Print
- 1—9093 Solder Probe Tool
- 1—9094 Stainless Brush and Scraper
- 1—Quantity of Special Print-Kote Solder
- 1—G-C Printed Circuit Service Manual

All packed in a handy box.

No. 680 Complete Kit List \$9.75

G-C No. 681 — TV PRINTED CIRCUIT SILICONE RESIN SERVICE KIT

No. 681 kit same as kit No. 680 except the pure silver print is not included.

Kit contains the following:

- 1—14-2 Print-Kote Silicone Resin
- 1—13-2 Print-Kote Solvent
- 1—9093 Solder Probe Tool
- 1—9094 Stainless Brush and Scraper
- 1—Quantity of Special Print-Kote Solder
- 1—G-C Printed Circuit Service Manual

All packed in a handy box.

No. 681 Complete Kit List \$5.80



G-C PRINT-KOTE SILICONE RESIN SPRAY

Packaged in easy-to-use spray can. Genuine silicone resin as used by leading TV set manufacturers to protect printed circuits. After repairing printed circuits, spray coat the new soldered connections. Insulates, protects and prevents arcing and shorting.

No. 14-6 6 oz. Spray Can List \$3.25



G-C PRINT-KOTE SOLDER

Especially made for printed circuits and is same solder as used by leading TV set manu-

facturers in "Printed Circuits." Has a special flux and low melting solder combined with pure silver.

No. 9131 2 oz. Coil List \$.75
No. 9131-D Display of 12 - 2 oz. List 9.00



G-C No. 9093 PRINT-KOTE SOLDER AID PROBE

"Specially for Printed Circuits"

Handy, fine point probe especially designed to aid in probing and soldering printed circuits. Made with Special Stainless Steel Hardened Probes—solder will not stick to it.

No. 9093 Probe List \$ 1.65
9093-D Display of 12 19.80



G-C No. 9094 PRINT-KOTE BRUSH AND SCRAPER

"Specially for Printed Circuits"

Fine Stainless Steel Brush and Hardened Steel Scraper are required to scrape and clean the Silicone Resin from Printed Circuits before any repair can be made. Saves time in repairing printed circuits.

No. 9094 Brush & Scraper List \$ 1.65
9094-D Display of 12 19.80



G-C HEAVY DUTY SOLDERING AID TOOL "With the Wire Cleaning Brush" Made of Stainless Steel

Servicemen and technicians will appreciate this carefully designed soldering aid tool. One end has a stiff wire brush for cleaning wire and terminal strip before soldering, and the other end is machined to hold the wires while being soldered. Solder will not stick to the soldering probe end of the tool.

No. 9088 Soldering Aid Tool List \$ 1.65
No. 9088-D Display of 12 No. 9088 List 19.80



G-C SILVER PRINT

You need G-C Silver Print to repair printed circuits. It is the same "Pure Silver" compound as used by manufacturers. Also can be used to touch up circuits around eyelets, rivets, etc. Can be used by experimenters, engineers, laboratories. Air drying.

No. 21-1 ½ Troy oz. List \$3.95
21-2 1 Troy oz. List \$7.75



G-C No. 14-2 PRINT-KOTE SILICONE RESIN

Used by leading TV set manufacturers to protect printed circuits. After repairing or replacing parts in printed circuits, protect the panel joints and parts. Fast air drying. Supplied in 2 oz. bottle with brush in bottle.

No. 14-2 List \$ 1.95
2 oz. Silicone Resin
No. 14-2-D List \$23.40
Display of 12



G-C No. 13-2 PRINT-KOTE SOLVENT FOR SILICONE RESIN

The only solvent for G-C 14-2 Silicone Resin. Will dissolve and remove silicone resin from printed circuits. Can also be used for a thinner for 14-2 Print-Kote Silicone Resin.

No. 13-2 2 oz. Print-Sol List \$.55
13-2-D Display of 12 6.60



G-C PRINT-KOTE SOLDERING FLUX

"Liquid Flux specially made for Printed Circuits." Non-corrosive liquid flux for easy soldering and repairs of printed circuits. Used by leading TV set manufacturers.

No. 12-2 List \$.75
2 oz. Print-Kote Flux
No. 12-2-D List \$9.00
Display of 12



G-C PRINT-KOTE VARNISH For Printed Circuits

Specially prepared protective insulation coating for printed circuits and components. Will air dry in 5 to 15 minutes or can be baked in 5 minutes at 150 F. Water white in color. NO DISCOLORATION with age. Will take 1,250 volts after 72 hours in 100% relative humidity. Tough — Flexible — will not crack or char — Are resistant.

No. C9-2 2 oz. Bottle List \$ 1.25
C9-2-D Display of 12 15.00
Use G-C No. 67 thinner if necessary.



GENERAL CEMENT TV • RADIO CHEMICALS

**It's
G - C
for All TV!**

G-C LUBE-REX



Lubriplate—white lubricant for push buttons, phonographs, Philco mystery controls, guns, fishing reels, dials, etc. Prevents corrosion, repels water.

No.		List
1206	2-oz. Tube	\$0.75
1209	2-oz. Bottle	.65

G-C CONTACT & CRYSTAL CLEANER



Extra pure cleaner. Fast drying for cleaning contacts and crystals. Will not injure delicate parts.

No.		List
127-2	2-oz.	\$0.75



G-C COIL DOPE KIT

For high frequency coils, ultra low loss. Contains 2-oz. bottle Polystyrene Q-Dope, 2-oz. Thinner, and 2 brushes. The best!

No.		List
888	Kit	\$1.25

G-C RUF-KOAT WRINKLE VARNISH

Air Dry or Bake



The only finish that will air dry and give professional wrinkle job without baking. Same as used by leading firms. Apply and let dry. Colors: Black, Gray, Brown. (Specify Color.)

No.		List
60-2	2-oz.	\$0.75
60-X-4	Ruf-Koat Undercoat 4-oz.	1.10

G-C KRYSTAL KOAT CRYSTAL LACQUER



Makes beautiful floral pattern when dry. Strictly air drying. For chassis, panels, decorations on metal, etc. Colors: Black, Gray. (Specify Color.)

No.		List
63-2	2-oz.	\$0.75

G-C DIAL LITE COLOR KIT



Long lasting coloring for dials, signals, lamps, panels, hobby work, etc. Red, Green, Blue, Amber, Purple and Solvent in kit.

No.		List
66-5	Kit - 5 small bottles	\$1.00
66-6	Kit - 6 small bottles	1.20
66-2	2-oz. (Specify Color)	.75

G-C CARBON CONTROL CLEANER



Fix noisy carbon controls without taking apart. Just squirt cleaner along shaft and job is done. Save money. Applicator supplied.

No.		List
212-2	2-oz.	\$0.75

G-C CONTACT DOPE



Ideal cleaner and lubricant for switches, controls and contacts. Resists corrosion and oxidation. Eliminates noise.

No.		List
1213	Tube	\$0.50
1214	2-oz.	.75



G-C SPIRIT VARNISH

Fast drying walnut spirit varnish for touching up nicks and scratches. Will not raise the finish.

No.		List
161-2	2-oz.	\$0.75

G-C ROOF-SEEL COMPOUND



Seals holes in roofs, eliminates call-backs on roof antenna installations. Inexpensive, easy to use.

No.		List
18-16	Pint Can	\$1.10

G-C KROME-KOAT ALUMINUM PAINT



Fast drying, ready mixed, leaves chrome-like finish. For PA equipment, speakers, chassis, towers, antennas, etc.

No.		List
61-2	2-oz.	\$0.75

G-C CHEMICAL LABORATORY



Complete assortment of 20 popular radio chemicals and cements in 2-oz. bottles put up on steel rack. Very neat for radio bench and home work shop. Steel rack FREE.

No.		List
997	Lab	\$13.95

G-C CARBON-X



New improved formula. Fix those old noisy carbon controls, touch up noisy spots on worn controls. Brush in bottle.

No.		List
1205	2-oz.	\$1.20

G-C CARBON TETRA-CHLORIDE



100% pure for cleaning and degreasing electrical contacts, controls, motors. Absolutely safe—will not burn. Also kills bugs, roaches, etc.

No.		List
211-2	2-oz.	\$0.55

G-C PENETRATING STAIN



Spirit type stain, penetrates and will not injure finish. Cover scratches, dents, darken corners on cabinets, etc. Walnut and Mahogany. Specify.

No.		List
162-2	2-oz.	\$0.60


G-C TELEPHONE BLACK OR GRAY



High grade lacquer enamel covers well, dries fast. Black is satin ebony finish similar to telephones. Gray is pleasing shade. For panels, racks, parts, etc. (Specify Color.)

No.		List
62-2	2-oz.	\$0.75

G-C RMA COLOR CODING KIT



Complete kit of all standard RMA colors to code resistors, condensers, parts, etc. Chart included. Ten bottles.

No.		List
677	Kit	\$2.15

G-C DELUXE CHEMICAL LAB



Practical larger laboratory of popular chemicals and cements to fit needs of average shop—2-oz., 4-oz., and 8-oz. bottles. Larger bottles of more popular items. Steel rack is FREE.

No.		List
998	Lab	\$18.25


**Ask Your Distributor for Complete G-C Catalog
FREE . . . or Write Direct!**

It's
G - C
for AM TV!

GENERAL CEMENT **TV • RADIO CHEMICALS**

G-C POWER SPRAY-KOAT

No brush — no muss — no fuss. Your choice of eight fine finishes in handy spray containers. Just press the special nozzle cap. Aluminum: Coat and protect antenna masts, speakers, PA equipment, etc.; dries to bright, chrome-like finish. Plastic: Corrosion-proof antennas, connectors, all metals, etc.; dries fast, transparent. Cover 100 square feet approximately.



No.		List
8660	Aluminum	\$1.79
8665	Plastic, clear	1.79
8754	Gray	1.95
8755	Black	1.95
8756	Brown	1.95
8757	White	1.95
8758	Gold	1.95
8759	Coppertone	1.95

G-C DIAL OIL



For lubricating dials, drives, and fine mechanisms. Long lasting.

No.		List
1245	4 oz.	\$0.75

G-C NON-STICK IRON TIP COMPOUND



Prevents soldering iron tips from burning into iron. Saves your iron and tips.

No.		List
1201	2 oz.	\$0.75

G-C LIQUID SOLDER FLUX



Non-corrosive flux for radio and electrical work. Solders faster, smoother.

No.		List
42-2	2 oz.	\$0.75

G-C SOLDERING PASTE



The best non-corrosive paste for radio and electrical work. Solders faster and smoother.

No.		List
1207	2 oz. can	\$0.50

G-C STRIP-X



Strips enamel from magnet wire. Dip wire in and wipe insulation off—ready for soldering.

No.		List
26-2	2 oz.	\$0.75

G-C NON-SLIP COMPOUNDS Powder Compound



For dial cords, pulleys, belts. Prevents slipping.

No.		List
1210	2 ozs.	\$0.75

Liquid

Penetrating liquid shrinks fibers, prevents slipping on dial cord and belts.

No.		List
1215	2 oz.	\$0.75

G-C RECORD-LIFE LUBRICANT



Simply wipe record with "Record-Life" and the needle will glide over the record smoothly. Prevents record and needle wear; also eliminates noises and scratching sounds. Use also for making records.

No.		List
125-2	2 oz.	\$0.75

G-C REK-O-DOPE



Required lubricant when recording and cutting records. All purpose, it cools, cleans, lubricates, and hardens grooves when cut. Rek-O-Dope will give better tone and longer life.

No.		List
126-2	2 oz.	\$0.75

G-C STA-PUT

PHONO-GEAR LUBRICANT



New "Sta-Put" lubricant for phonomotors, gears, shafts, etc. Will not run or drip—it "Stays-Put." Recommended by RCA, G-E, and others.

No.		List
1223	Tube	\$0.75
122-2	2 oz.	.65

G-C "RECO" STATIC CHASER



Developed specially for vinyl records, it eliminates static electricity on plastic records and keeps records dust free. Also stops crackling and static discharge noises. Simply wipe it on and the job is done. Can be used on any type records.

No.		List
48-2	2 oz.	\$0.75

G-C PORCELAIN GLAZE



Fills in nicks and dents on porcelain and duco refrigerators, sinks, washing machines, etc. Fill in and let dry.

No.		List
911	2 oz.	\$0.75

G-C SPEAKER CONE RECONDITIONER



Apply to old dried out cones to restore plasticizer and bring back original tones.

No.		List
25-8	8 oz.	\$1.00

G-C TV LINE SEAL for UHF and VHF



Outdoor special acrylic sealer for sealing TV wires, terminals, screws, antennas, TV Lines, etc. Seal it with G-C TV Line Seal and forget it. It will avoid trouble as it seals and prevents corrosion and loosening of contacts, screws, etc.

No.		List
17-2	2 oz. Line Seal	\$0.75



GENERAL CEMENT

CABINET REPAIR MATERIALS

G-C LUMINOUS KITS



Complete kits of luminous paint that glows in the dark. Many uses in shop and home. See it at night. Easy to use — apply and let dry.

No.	List
184-0 DeLuxe Kit contains Powder, Mix-Koat, Top Koat and Brush.	\$3.75



G-C FRENCH VARNISH

Used by craftsmen to repair furniture and blend in the finish. Can be applied with pad, brush or spray. Dries fast.

No.	2 oz.	List
160-2		\$0.75



G-C FRENCH EMULSION

Best pad lubricant to use with French Varnish Polishing Method.

No.	4 oz.	List
164-4		\$1.10



G-C RUBBING OIL

Rub down newly finished or repaired cabinets to produce rich satin sheen finish.

No.	16 oz.	List
163-16		\$2.40



G-C CREME-O-WAX POLISH

White non-staining hard wax base polish produces a hard glossy finish. Excellent for radios, pianos, refrigerators, furniture, etc.


No.	2 oz.	List
95-2		\$0.60



G-C SHELLAC STICK KIT

Handy assortment of 10 colors to take care of any shade of wood. Same as in G-C Kits.

No.	Kit	List
925		\$2.75




G-C MAGIC SCRATCH KIT

Combination of 6 shades fillers and light and dark scratch fluid. Easy to use on emergency jobs.

No.	Kit	List
915		\$1.95

NEW G-C DIAL CORD DRESSING STICK



A new, easy way to treat slipping cords on dial mechanisms. Simply rub the stick on cord and job is done! Prevents and stops slipping. Carry a stick with you and save time.

No.	Dressing Stick	List
1212		\$0.25

G-C SCRATCH REMOVER POLISHES



Polish contains stains to remove scratches. Sell to housewives.

No.	2 oz.	List
92-2		\$0.60

For light woods; polishes and removes scratches at same time. Popular with housewives.

No.	2 oz.	List
93-2		\$0.60



G-C PORCELAIN PATCH STICK

Made for white porcelain refrigerators, sinks, ranges, fixtures, etc. Simply melt into nick and smooth off.

No.	Stick	List
908		\$0.60



G-C SHELLAC STICKS

High grade sticks for filling dents and nicks in wood cabinets and furniture. Sticks 7" long.

No.	Lt. Walnut	List	No.	Dk. Oak	List
929		\$0.60	979		\$0.60
930	Dk. Walnut	.60	980	Transparent	.60
933	Black	.60	981	Lt. Transparent	.60
934	White	.60	982	Walnut	.60
935	Maple	.60	983	Mahogany	.60
978	Lt. Oak	.60	984	Blonde Maple	.60



G-C GENERAL SCRATCH STICK

Removes scratches. Simply run over scratches and they will disappear. Handy to carry in your pocket or tool box for emergency repairs. Also sell to housewives.

No.	Walnut	List
909-W		\$0.60
909-M	Mahogany	.60
909-I	Ivory	.60



G-C SCRATCH REMOVER LIQUID

New liquid! Removes scratches instantly. Simply wipe over scratches. Handy to have in tool box.

No.	2 oz.	List
917		\$0.60

SPECIAL PRICES TO QUANTITY USERS . . .
ASK YOUR G-C DISTRIBUTOR FOR
COMPLETE INFORMATION AND PRICES.

G-C FLOCK BLOWER GUN



It's easy to apply flock and be sure to get a good job with the G-C Patented Gun. Gun can also be used for dusting and cleaning.

No.	List
180-3 Gun.....	\$6.50
180-4N	.35
Cleaning Nozzle for Gun	



GENERAL CEMENT CABINET REPAIR KITS GRILLE CLOTH

G-C MASTER DELUXE CABINET REPAIR KIT



Complete cabinet repair kit in a permanent metal box. All finishes are spirit soluble and will not cut or damage surrounding finishes on cabinets, etc. Kit contains 10 shellac sticks, alcohol lamp, French varnishes, rubbing felt and fluid, enamels, glue, steel wool, sandpaper, polish, directions, etc.

No.	Kit	List
900	Kit	\$12.95

G-C MASTER CABINET TOUCH-UP KIT



A complete, fast touch-up kit for repairing scratches and dents. Works on wood and plastic cabinets. The spirit finishes will not cut into the adjoining surface or injure surrounding finish. Contains French varnish, emulsion, colored enamels, stains, polishes, and filler. Sandpaper, steel wool, rubbing bottles. Put up in metal box.

No.	Kit	List
907	Kit	\$5.75

G-C FELT KOAT FLOCK KIT



New G-C kit with special blower gun. Distributes flock evenly and applies a thick velvet-like coat. Kit is complete with gun, brown and ivory flock, brown and ivory undercoat, thinner, brush, etc. Gives professional job on turntables, cabinets, grilles, tool boxes, toys, signs, etc. Has thousands of applications.

No.	Kit	List
180-2	Kit	\$15.95

G-C FELT-KOAT FLOCK



Genuine Rayon Flock, $\frac{1}{8}$ " length fibers accurately cut, give beautiful even finish. One pound covers approximately 90 sq. ft. Colors: Brown, Taupe, Blue, Black, Ivory, Red, Green, Silver, and Gold. (Specify Color.)

No.	2 oz. Can	List
180-5	2 oz. Can	\$1.35
180-7	1 lb. Bag	6.00

G-C TELEVISION GRILLE CLOTH



New television metallic grille cloth specially made for TV cabinets.

Specify "A" or "B" style

No.	Size	List
8656	18" x 24"	\$2.50
8657	24" x 36"	4.75
8658	36" x 36"	7.50
8659	36" wide per yard, bulk	7.25



G-C TV PLASTIC SARAN WOVEN GRILLE CLOTH

Beautiful plastic cloth in a beautiful pattern. Ideal material for custom-built cabinets and commercial sound installations.

No.	Size	List
8736	12" x 18" - Bronze & Gold	\$1.65
8739	36" x 36" - Bronze & Gold	\$9.25
8737	12" x 18" - Ecu & Ivory	\$1.65
8740	36" x 36" - Ecu & Ivory	\$9.25

G-C DELUXE CABINET REPAIR KIT



Comes in handy metal box. Contains ten shades of shellac sticks, bottles of light and dark oil stain, bottles of metal shading varnish, polish, General Scratch Stik, alcohol lamp (with alcohol), spatula, small brushes, steel wool, sandpaper, and wiping cloth. No special skill required. Directions included.

No.	Kit	List
901	Kit	\$8.50

G-C CABINET REPAIR KIT MATERIALS



No.	List
908 Porcelain Patch Stick	\$0.60
992 Shellac Stick Rubbing Fluid 2 oz.	.60
900-11R Sandpaper, 4/0 Sheet	.15
900-12R Sandpaper, 7/0 Sheet, very fine	.25
900-14R Steel Wool Pads, box of 16	2.00
936 Spatula, for Shellac Sticks	.45
937 Alcohol Lamp with Alcohol	.75
938 Lamp Fluid, pint	1.25
161-2 Varnish Stain, Walnut, 2 oz.	.75
162-4 Spirit Stain, Walnut or Mahogany (specify color), 4 oz.	1.10
900-13R Touch-Up Brush	.75

G-C FELT KOAT KITS



Complete flock kit with flock undercoat, thinner and brushes and shaker type can for applying flock. Colors: Brown, Blue, Taupe, Black, Red, Green and Gold. (Specify Color.)

No.	DeLuxe Kit	List
180-0	DeLuxe Kit	\$3.95
180-1	Reg. Kit (No Brush or Thinner)	2.95



G-C FLOCK SIZING UNDERCOAT

Material is first applied on surface to be flocked. Then flock is applied. Used on metal, wood, paper, etc. Neutral color, can be used with all colors of flock.

No.	4 oz.	List
180-4	4 oz.	\$1.20



G-C FLOCK SIZING THINNER

No.	4 oz.	List
181-4	4 oz.	\$0.50
181-8	8 oz.	.65



G-C METAL FLOCKED GRILLE SCREEN

Very popular. Both sides flocked with rayon over galvanized metal screen. Used on radios, P.A. speakers, intercoms, auto radios, etc. Waterproof, durable. Colors: Brown, Ivory, Maroon.

No.	Size	Color	List
951-1	8" x 11"	Brown	\$0.95
951-3	8" x 11"	Ivory	.95
951-5	8" x 11"	Maroon	.95
952-1	18" x 24"	Brown	3.20
952-3	18" x 24"	Ivory	3.20
952-5	18" x 24"	Maroon	3.20
953-1	36" x 36"	Brown	9.85
953-3	36" x 36"	Ivory	9.85
953-5	36" x 36"	Maroon	9.85



G-C CABINET SPEAKER GRILLE CLOTH

Beautiful modern patterns of Brown, Gold and light colors to match Walnut, Mahogany and Ivory Cabinets. Specify "Ivory" when ivory is wanted.

No.	Size	List
940	18" x 20"	\$1.50
941	9" x 18"	.75
942	12" x 12"	.80
943	14" x 18"	1.00
944	24" x 13"	1.35
945	18" x 13"	.90
949-2R	50" Wide Cont. lgth. per yd.	6.50



GENERAL CEMENT RADIO • TV ACCESSORIES

G-C DIAL DRIVE SPRING KITS

G-C DIAL CORD CLIPS

Handy assortment for fastening dial cords. Squeeze around cord with pliers. 100 Assorted.

No.	List
6221-C	\$0.70

Assorted, for most requirements.



No.	List
1056	\$4.85
100 assorted	


G-C RCA TELEVISION TUNING BELT



New belt for RCA Television Tuner. Used on models series numbers STC, STK, 9TC, etc. (Belt Part No. 73465.)

No.	Tuner Belt	List
195		\$0.50

G-C DIAL CABLE TOOL



Handy tool to aid in stringing new dial cord and replacing cables slipped off pulleys and drums. It's like an extra hand. Speeds up the job.

No.	List
5096	\$0.85

G-C 860 CAP



Spring action flat brown bakelite cap. App. brass blades.

No.	Cap	List
860		\$0.25

G-C 861 CAP



Spring action, finger grip rubber caps. App., screw terminal br. blade.

No.	Cap	List
861		\$0.25


G-C 865 CAP



Modern flush type rubber cap. Easy to assemble. No exposed screws or wires.


No.	Cap	List
865		\$0.35

G-C LONG NOSE PLIERS



Very handy pliers to reach into places and hold parts. It's very handy for installing radio dial cords. Available in straight nose and curved nose styles.

No.		List
5192	Straight Nose Pliers	\$1.00
5193	Curved Nose Pliers	1.00



G-C DIAL POINTERS

Popular Replacement Pointers

No.		List
(a) 6801	3" Rotary Pointer for 1/4" shaft, gold	\$0.40
(b) 6802	5" 360° Rotary Pointer for 1/4" shaft, gold and red	\$0.40
(c) 6803	2" Slide Pointer, red translucent	\$0.40
(d) 6804	2 1/4" Slide Pointer, white enamel	\$0.40

G-C PHONO SPRING KIT



Kit contains assorted springs same as are used on phono turntables. With this kit you can replace the broken or weak spring without waiting or delay in service.

No.	Kit of	List
6478	50	\$2.75
6479	100	4.85

G-C DIAL POINTER KITS



A complete kit of assorted dial pointers. Pointers come in a clear transparent plastic case which keeps the pointers in perfect condition.

No.	Kit -	List
6810	10 pointers	\$3.25
6805	25 pointers	5.50

G-C HANDY PICK-UP TOOL



Very handy for every one. Picks up pieces in hard-to-get-at places. Will hold and start screws, nuts, etc. Will pay for itself in short time.

No.	List
5089	\$1.65

G-C TV KNOB SPRING KIT



Contains various types of knob springs and wedges used on TV knobs. Assortment of 100.

No.	List
9133	\$2.75


G-C DUAL TUBE PIN STRAIGHTENER



Streamlined pocket-size straightener for 7-pin and 9-pin miniature tubes. Accurately machined hardened metal inserts for long life.

No.	List
9092	\$1.65


G-C HIGH-VOLT TEST LEADS



For high voltage TV testing. Heavy duty wire, flexible even though insulation makes it 1/4" thick. 22,000 volt breakdown at 60 cycles. 48" long, red and black leads.

No.		List
9100	w. phone tips	\$5.00
9101	w. spade lugs	5.00
9102	w. alligator clips	6.00

G-C "TEST LINE" TEST LEADS



Slender pencil-type Tenite 5" long test prods, with 50" kinkless, extra flexible rubber covered wire. Phone tips. Red and black colors.

No.	List
9190	\$1.00



G-C TV-RADIO IRON CORE KIT

Contains 7 assorted types of iron cores used in TV and radio sets. Covers 90% of replacements.

No.	List
9141	\$0.95

G-C SELENIUM RECTIFIER MOUNTING SCREWS



Assortment of 24 extra long 6-32 screws and nuts for mounting selenium rectifiers. Round head screws 2 1/2", 3" and 4 1/2" long.

No.	List
9224	\$0.60

G-C TERMINAL STRIPS



SCREW TYPE

Laminated bakelite strips, rigidly constructed, terminals will not turn and short.

No.	Contacts	List
1772	2	\$0.12
1773	3	.19
1774	4	.25
1775	5	.28
1776	6	.35
1777	7	.42
1778	8	.50
1779	9	.55
1780	10	.60



SOLDER TYPE

Mounted on laminated bakelite strips. Lugs securely fastened and will not turn.

No.	Contacts	List
1781	1	\$0.05
1782	2	.06
1783	3	.07
1784	4	.09
1785	5	.12
1786	6	.13
1787	7	.20
1788	8	.22

G-C PHONO PLUG


For all types of phono connections on RCA, Zenith, Philco and others. Also for auto radio connector.

No.	Single Plug	List
1742		\$0.10
1742-E	Env. 4	.45

G-C PHONO JACK

Companion phono jack for No. 1742 plug.

No.	Single Jack	List
1743		\$0.14
1743-E	Env. 3	.45



**G-C NEW TELEVISION "X 57 PLASTIC
LONG SLIM" SCREWDRIVER**



No.	Blade	Overall	List
8987	7"	9 1/4"	\$1.00
8988	12"	14 1/4"	1.50
8989	16"	18 1/4"	2.00



GENERAL CEMENT

RADIO-TV ALIGNMENT TOOLS

**G-C "SHORTY" TV
ALIGNMENT
SCREWDRIVER**




No. 8289 List \$0.70

**G-C TELEVISION
6" DUPLEX ALIGNER**



No. 8276 List \$0.80

G-C LONG ARM TV TOOL




No.	Tool Type	List
8821	Tool Type A	\$1.50
8896	Tool Type B	1.50
8897	Tool Type C	1.50

**G-C TELEVISION
CHANNEL TUNING TOOL**



No. 8195 List \$0.90

**G-C "SHORTY"
TV ALIGNMENT TOOL**




No. 9051 List \$0.75

G-C TELEVISION ALL-PURPOSE ALIGNER




No. 8273 List \$1.10

**G-C TELEVISION
LONG REACH ALIGNER**



No. 8274 List \$1.20

**G-C TELEVISION
TUNING WAND**



No. 8278 List \$0.55

**G-C DUPLEX ALIGNMENT
SCREWDRIVER**



No. 5001 List \$0.85

**G-C NYLON TELEVISION
LONG REACH ALIGNER**



No. 8607 List \$1.80
No. 8608-E Repl. Tip List .30

**G-C TELEVISION 2-IN-1
9" LONG-REACH
DUPLEX ALIGNER**



No. 8721 List \$1.25

**G-C TELEVISION
ALIGNMENT TOOL**



No. 5066 List \$0.55

**G-C TELEVISION
AND FM TUNING TOOL**



No. 8196 List \$0.60

**G-C TV ALIGNMENT
TOOL**



No. 9050 List \$0.30

**G-C GENERAL ELECTRIC
ALIGNMENT TOOL**



No. 8609 List \$1.00

**G-C TELEVISION 2-IN-1
7" DUPLEX ALIGNER**




No. 8722 List \$1.05

**G-C TELEVISION
ALIGNING WRENCH**



No. 5080 List \$0.85

**G-C TELEVISION
CORE ALIGNER**



No. 8271 List \$0.90

**G-C LONG REACH
ALIGNMENT
SCREWDRIVERS**



No. 8728A 7" 1. List \$0.45
No. 8728 12" 1. List .70
No. 8729 16" 1. List .90

**G-C TELEVISION
"SHORTY" DUPLEX
ALIGNER**



No. 8277 List \$0.80

**G-C TELEVISION
CORE ALIGNER**



No. 8279 List \$1.10

**G-C "STRATO"
TUNING WAND**



No. 5002 List \$1.10

**G-C UNIVERSAL
SCREW DRIVER ALIGNER**



No. 8290 List \$1.00

**G-C K-TRAN TELEVISION
ALIGNER**




No. 8727 List \$0.85

G-C K-TRAN TOOL



No. 5097 List \$0.85

**G-C TELEVISION I.F.
OSCILLATOR ALIGNER**



No. 8272 List \$1.20

**G-C STANDARD
TV ALIGNMENT
TOOL KIT**



No. 8455 9 tools List \$7.65

**G-C TELEVISION
DUPLEX ALIGNER**



No. 8276 List \$0.80

**G-C TELEVISION 2-IN-1
ALIGNMENT TOOL**



No. 8606 List \$0.55

**G-C NO-METAL
INSULATING
ADJUSTMENT
SCREWDRIVER**



No. 5004 7" 1. List \$0.75
No. 5008 7" 1. List .45
for UHF



GENERAL CEMENT

NEW G-C KLIPZONS



THE REVOLUTIONARY
SELF HOLDING

TEST PRODS -
CONNECTORS - ADAPTERS
CRYSTAL PROBES



KLIPZON TEST PRODS AND LEADS

Designed for maximum time saving, convenience and safety. Self-holding jaws slip onto wires, lugs, terminals, and grip test points until pulled off. Modern design adds minimum capacity to circuit; makes contact with inaccessible wires and terminals easy. Points fit into pin-jacks, sockets, binding posts; grip wires from finest to #12 B&S gauge. Points are needle sharp stainless steel in Duralumin holders. Handles, red and black, 4 3/4" long, of glossy Tenite. 4 ft., super-flexible rubber covered leads.

No. 5608 List \$3.25
Test Prods and Leads

No. 5609 List \$2.50
Test Leads & Phone Terminals

No. 5610 List \$3.25
Test Leads with Banana Plugs



CRYSTAL PROBES FOR VOM AND VTVM

Mini-Prod Connectors as terminals No. 5612 provides accurate means of measuring V.H.F. voltages with a vacuum tube voltmeter. Germanium crystal in low capacity, high impedance circuit, supplies rectified voltage to DC input. Complete shielding reduces hand capacity and antenna effect to minimum. Completely insulated. Reads to 200 Mc with 10% accuracy. Input capacity 3.5 Mmf. 400 V DC rating. Input resistance (approx.) 25 Megohms @ 500 Kc. 150,000 Ohms @ 10 Mc. 25,000 Ohms @ 100 Mc. Reads .707 x positive peak of sinusoidal voltage. Type 5611 adapts volt-ohm-milliammeters for indication and comparison of V.H.F. voltages. Has Germanium crystal and suitable network of resistance and capacity for connection to DC circuit of VOM, with at least 200 Micro-amp sensitivity.

CRYSTAL PROBES

No. 5611 List \$7.25
For VOM

No. 5612 List \$7.25
For VTVM



SHIELDED LOW LOSS- LOW CAPACITY LEADS

Provide a reliable means of piping audio or radio frequencies in laboratory or service work. Di-electric of air and polyethylene is proportioned to provide unusually low capacity and loss even at I.H.F. while retaining strength, durability and flexibility of the lead. Complete shielding of leads eliminates stray pickups, feed back and other undesirable coupling effects. Lead length is 3 ft., O.D. approximately 5/8" total capacity only 25 mmf. Provided with black Mini-Prod Connectors at each end of lead for complete grounding of shield and red Mini-Prod for connecting to circuit or instrument.


No. 5613 List \$4.95
Shielded Low Loss-
Low Capacity Leads



HEAVY DUTY TEST PROBES AND LEADS

Designed to make the self-holding feature available for large sized wires, lugs and terminals. The oversized self-holding points clip onto conductors up to #4 B&S Ga. and grip test point until pulled off. Points are needle sharp to pierce insulation, fungus and wrappings, and protected with insulating sleeves to prevent shorting to adjacent wires. Handles unscrew for easy removal of leads by soldering to internal lug. Spade type terminals are provided for ease of connection to meters or other equipment. Provided with 4 ft. lacquered polyethylene rayon leads, equivalent to #18 B&S Ga. (16 strands #30 B&S Ga. copper wire.)

No. 5614 List \$4.25
Heavy Duty Test Prods
and Leads



12" AND 24" JUMPER LEADS

Every electronics laboratory, service shop and production line needs a supply of these handy leads. Each is equipped with two Mini-Prod Connectors, which may be used as a miniature prod or clip. Points are protected by insulating sleeves to prevent shorting to adjacent wires. Sleeves are easily removable so that point may be inserted into pin jacks, binding post and tube sockets. Needle sharp points readily make contact with inner conductors by piercing insulation. Lead wire is super-flexible, rubber covered (41 strands, #34 B&S Ga. copper) in red or black 12 and 24 inch lengths. Solderless connector in handle makes removal of leads easy.

No. JUMPER LEADS List
5634 Red 12" \$1.00
5635 Black 12" 1.00
5636 Red 24" 1.10
5637 Black 24" 1.10




TEST PROD HANDLES

Test Prod Handles of glossy Tenite with self-holding points and solderless connection in handles, same as supplied with No. 5608 Test Prods. Hole in handle accommodates up to 140" Dia. wire, 4 3/4" long. Designed for those who wish to wire up their own test prods.

No. 5615 List \$0.85
Red Test Prod Handles


No. 5616 List \$0.85
Black Test Prod Handles



JUMBO PROD HANDLES

Test Prod Handles of wear resistant plastic with heavy duty self-holding points, the same as provided with No. 5614 Jumbo Test Leads. Point unscrews from handle, for attachment of leads to internal soldering lug. Hole in handle accommodates up to 220" Dia. wire. Designed for those who wish to wire up their own test prods.


No. PROD HANDLES List
5617 Red Jumbo \$0.85
5618 Black Jumbo 85



JUMBO ADAPTERS

Designed to make the self-holding feature available for use on larger wires and terminals. Fits over regular KLIPZON Self-Holding Point of No. 5608, 5611, 5612. Will also fit over standard R.M.A. test points or phonograph needle type with special insert supplied. Suitable for wires up to #4 B&S ga., #12 machine screws and equivalent sized lugs and terminals.

No. JUMBO ADAPTERS List
5619 Red \$0.75
5620 Black 75



MINI-PROD CONNECTORS

Designed for laboratory or service use where quick, easy to make, temporary test connections are needed. Equipped with various lead lengths they make handy test connectors that can be easily changed without shutting off power. Insures maximum safety in testing. Wiring made easy by solderless connection inside Tenite handle. Needle sharp points for piercing insulation and protective coatings.


No. CONNECTORS List
5621 Red Mini-Prod .. \$0.45
5622 Black Mini-Prod .. .45



MINI-PROD ADAPTERS

Designed to fit over old style test points and thereby convert them to New Style Self-Holding Prods. Fits over usual R.M.A. standard test point direct, or over phonograph needle type with special insert supplied. Size is same as that of KLIPZON Mini-Prod Connector.

No. ADAPTERS List
5623 Red Mini-Prod .. \$0.60
5624 Black Mini-Prod .. .60




LONGIE ADAPTERS

Especially designed for test work in miniaturized or deep, close packed chassis. The extra long, slender point has the unique self-holding jaw and a needle sharp point for piercing insulation. The Longie fits over R.T.M.A. standard test points directly, and over phonograph needle type with special insert supplied.

No. 5625 List \$0.75
Red Longie Adapters


No. 5626 List \$0.75
Black Longie Adapters



KLIPZON PANEL MOUNT

Test Germanium diodes, transistors, resistors, coils, capacitors, printed circuits, the easy way. Just the thing for laboratory, production test work or life-test panels. Unique KLIPZON point of duralumin with stainless steel needle grips wires. Just press lead down against the needle. Has 3/8" shank for panel mounting with solder terminal.

No. List
5627 Panel Mount ... \$0.60



KLIPZON BANANA PLUG

Make handy test setup for transistors, diodes, resistors, capacitors, coils, printed circuits. Banana plug jacks are used on thousands of lab and service instruments. TYPE R provides an easy way to make instant connections to these terminals.

No. 5628 List \$0.75
Red Banana Plug

No. 5629 List \$0.75
Black Banana Plug



ALLIGATOR CLIP ADAPTER

Fits onto KLIPZON test points, R.T.M.A. test prods or phone tips.

No. 5630 List \$0.60
Red Alligator Clip

No. 5631 List \$0.60
Black Alligator Clip



BANANA PLUG ADAPTER

Fits onto KLIPZON test points, R.T.M.A. test prods or phone tips.

PLUG ADAPTERS

No. 5632 List \$0.60
Red Banana

No. 5633 List \$0.60
Black Banana



G-C SOLDERING IRON TIPS

Best grade hard-drawn copper, bright plated to resist corrosion. Heats fast and holds heat.

No.	Tip	List
724	1/4" x 3"	\$0.50
725	3/8" x 4 1/2"	.65
726	3/8" x 4 1/2"	.70
727	1/2" x 4"	.85



GENERAL CEMENT

ALIGNMENT TOOLS • SERVICE AIDS

G-C INSPECTION MIRROR



Inspection Mirror for hard to see places.

No.	List
5090	\$0.55

G-C ZENITH PUSH-BUTTON WRENCH



Special wrench necessary to use in adjusting Zenith push-button sets.

No.	List
5094	\$0.20

G-C MINIATURE TUBE PIN STRAIGHTENER



Precision base die straightens prongs and spaces them properly for miniature tubes like 185, 6AK5, etc.

No.	List
5191	For 7-pin tubes \$1.25
8105	For 9-pin tubes 1.25

G-C AUTO RADIO TUNER



For adjusting car radios; turn controls when radio is removed from car and cables disconnected. Square tip and V-tip ends for various shafts.

No.	List
8285	\$0.45


G-C WESTINGHOUSE TV ALIGNMENT TOOL



Specially designed to fit Westinghouse coils, end turned down to fit openings. 5 3/4" long, with metal tip on end.

No.	List
9089	\$0.90


G-C PRINT-KOTE SOLDER AID PROBE



Fine point probe for soldering printed circuits. Solder won't stick to stainless steel probe.

No.	List
9093	\$1.65


G-C PRINT-KOTE BRUSH AND SCRAPER



Stainless steel brush and hardened steel scraper to scrape and clean silicone resin from printed circuits before repairs are made.

No.	List
9094	\$1.65


G-C NON-MAGNETIC ALIGNING BERYLLIUM TOOL



Specially heat treated beryllium copper for use in loosening difficult alignment screws (prevents damage to plastic alignment tools). 1/8" blade.

No.	List
9105	6" blade \$1.25
9106	10" blade \$1.35


G-C RCA TV ALIGNMENT TOOL



Double end nylon tool with recessed metal tip on one end, plastic slot on other. For RCA, Zenith, etc.

No.	List
9150	6" long \$1.50


G-C TL-597-U SPECIAL ALIGNMENT TOOL



Made to govt. specifications, combination tool with bakelite screwdriver within 3/4" hex socket wrench.

No.	List
5068	\$2.85

G-C TUBE AND PARTS EXTRACTOR



U. S. Signal Corps No. TL-201

Handy prong tool for extracting tubes and picking up parts. Rubber cushions on prongs.

No.	List
5092	\$1.65

G-C LONG-REACH TV AND RADIO LUBRICATOR



For hard-to-reach radio and TV controls, bearings, phono motors, etc.

No.	List
8690	\$0.80

G-C DUPLEX TUBE PIN STRAIGHTENER




dies.

Straightens both miniature and jumbo miniature tubes, both 7- and 9-pin types. Precision steel

No.	List
8655	\$2.50


G-C STANDARD COIL SLUG TUNER ADJUSTING TOOL



Designed especially for Standard Tuners, tool has blade length sufficient to adjust slug without turning it into coil. Tool 7 1/2" long, .170 dia. shaft ends.

No.	List
9087	\$1.00


G-C ADJUSTABLE SHORTY



Designed for RCA, Westinghouse, etc. Recessed tip. Adjustable from 1 1/4" to 2" in length. No need to remove chassis from cabinet.

No.	List
9090	\$0.70

G-C CONTACT ADJUSTER



Ideal tool for adjusting contacts on switches, relays on pin ball machines, radio sets.

No.	List
5095	\$0.25

G-C SPEEDX SLIM-TYPE SOLDER IRON TIPS



High heat turn-down tip made of copper. Fits 3/8" iron, 4 1/2" tip.

No.	List
8741	\$1.00

G-C TV "HIGH-VOLT" SAFETY PROBE AND TESTER



Check TV high voltage circuits quickly. Tester glows when okay. Handy for H.V. rectifier tubes, transmitters, etc.

No.	List
8836	\$2.75


G-C HEAVY DUTY SOLDERING AID TOOL



Stainless steel with hardened probe, solder won't stick. Other end is stiff wire brush for cleaning wire.

No.	List
9088	\$1.65

G-C NYLON DOUBLE END IRON CORE TOOL



All nylon hex tool made to fit cores with .125 hex opening. One end undercut to reach bottom slug in coil without turning top slug.

No.	List
9091	5" 1. \$0.75
9091-L	11" 1. \$1.00

G-C SLUG RETRIEVER TOOL



Precision made tool with hardened steel tips for removing lost tuner slugs in Standard Tuners. Simply slip in, push and retrieve slug.

No. 9096 — 12" long	List \$3.70
No. 9097 — 15" long	List \$4.95



GENERAL CEMENT

RADIO-TV DIAL CORDS, CABLES and BELTS


DIAL CABLES

Available in special bulk lengths and quantities

WRITE FOR QUOTATIONS

G-C No. 75-A EXTRA THIN NYLON CORD

.025" diam. Used on RCA, GE, Strom-Carl, etc. Braided nylon over fibre glass core. In plastic container:



No.	Spool	List
75A-25	25 ft.	\$1.50
75A-50	50 ft.	2.65
75A-100	100 ft.	4.95
75A-11	Env.	.45
H395-F	Plastic Box	.50

G-C No. 75 STANDARD THIN NYLON CORD


.028" diam. Most popular; used on 95% of sets. Braided nylon over fibre glass core. In plastic container.



No.	Spool	List
75-25	25 ft.	\$1.50
75-50	50 ft.	2.65
75-100	100 ft.	4.95
75-11	Env.	.45
H396-F	Plastic Box	.50

G-C No. 74 MEDIUM NYLON CORD

.040" diameter. Very popular; used by RCA, Philco, GE, etc. Braided nylon over fibre glass core. In plastic container.



No.	Spool	List
74-25	25 ft.	\$1.50
74-50	50 ft.	2.65
74-100	100 ft.	4.95
74-11	Env.	.45
H397-F	Plastic Box	.50

G-C No. 73 HEAVY NYLON CORD

.062" diameter; used on Philco, Majestic, Brunswick, etc. Very strong, chemically treated to prevent slipping. In plastic container.



No.	Spool	List
73-25	25 ft.	1.90
73-50	50 ft.	3.25
73-100	100 ft.	5.50
73-11	Env.	.45

G-C No. 70 BRAIDED BRONZE CABLE

.040" diameter; used on radio dials, instruments and for aircraft reel-in antenna cable. Phosphor bronze braided over fibre glass core for strength. In plastic container.



No.	Spool	List
70-25	25 ft.	\$1.80
70-50	50 ft.	2.65
70-100	100 ft.	5.00
70-11	Env.	.45

G-C No. 71 42-STRAND BRONZE CABLE

.040" diameter; 42 strands twisted phosphor bronze over fibre glass core. Radio dials, aircraft reel-in-antennas, etc. Durable and flexible. In plastic containers.




No.	Spool	List
71-25	25 ft.	\$2.25
71-50	50 ft.	3.50
71-100	100 ft.	6.50
71-11	Env.	.45

G-C No. 76 SPECIAL THIN BRONZE CABLE

.025" diameter. Braided bronze as used on GE, RCA, and others. Also for flexible connections on speakers, cones, etc. In plastic container.



No.	Spool	List
76-25	25 ft.	\$1.80
76-50	50 ft.	2.65
76-100	100 ft.	5.00
76-11	Env.	.45



G-C SERVICEMEN'S DIAL BELT KITS

General Cement Belts are approved replacements for all sets. They are made of best quality material and will not stretch. They are specially treated to prevent slipping. They are the best. Sizes available for all sets. They are easy to install as they are made to fit. No adjustments necessary.

BELTS — 50c List Each

Servicemen! Have an assortment of belts on hand for prompt replacement. Kits contain only the more popular belts used. KIT INCLUDES ATTRACTIVE STEEL BOX—BELT SCALE AND COMPLETE LISTING OF OVER 1100 MODELS.

G-C SERVICEMEN'S KITS

List Price

No. G-25—Kit of 25 popular belts.....\$13.95

INSTRUCTIONS — FOR MEASURING BELTS

To determine size of belt, if the old belt is available, cut the belt and measure for stretched out length. This will be "cut length" of belt.

If old belt is not available or is worn out so that it cannot be properly measured, stretch a thin thread around belt pulleys on set. (Be sure to use thin thread as a thick cord will give an inaccurate reading.) Measure the thread, it will be our "circumference around pulleys." In measuring belts always remember that the circumference around pulleys is not the same as stretched out or cut length. A belt when cut, develops approximately $\frac{3}{16}$ " extra length when stretched out, depending on thickness of belt.

G-C RADIO BELT SPECIFICATIONS

LISTED AS PER BELT SIZE

Circumference Around Pulleys	Cut Length	G-C Belt No.	Circumference Around Pulleys	Cut Length	G-C Belt No.
5 $\frac{1}{8}$ " x $\frac{3}{4}$ "	5 $\frac{1}{8}$ " x $\frac{3}{4}$ "	195	8-43/64"	8-55/64"	112
6-23/32"	6-29/32"	101	8-11/16"	8-7/8"	160
6-55/64"	7-3/64"	101	8-13/16"	9"	161
6-57/64"	7-5/64"	102	9-1/16"	9-1/4"	117
6-15/16"	7-1/8"	158	9-13/64"	9-25/64"	115
7-1/64"	7-13/64"	157	9-19/64"	9-31/64"	163
7-1/4"	7-7/16"	106	9-5/16"	9-1/2"	116
7-9/32"	7-15/32"	156	9-17/32"	9-23/32"	119
7-13/32"	7-19/32"	177	9-7/8"	10-1/16"	123
7-15/32"	7-21/32"	103	9-59/64"	10-7/64"	127
7-1/2"	7-11/16"	105	10-1/16"	10-1/4"	126
7-35/64"	7-23/32"	155	10-1/4"	10-7/16"	164
7-11/16"	7-7/8"	107	10-17/64"	10-29/64"	124
7-3/4"	7-15/16"	174	10-19/64"	10-31/64"	128
7-15/16"	8-1/8"	111	10-23/64"	10-35/64"	118
8-1/64"	8-13/64"	104	10-3/8"	10-9/16"	122
8-1/32"	8-7/64"	109	10-25/64"	10-37/64"	125
8-3/32"	8-9/32"	113	10-1/2"	10-11/16"	152
8-3/16"	8-3/8"	172	10-41/64"	10-53/64"	129
8-13/64"	8-25/64"	162	10-11/16"	10-7/8"	121
8-15/64"	8-27/64"	114	10-45/64"	10-57/64"	120
8-25/64"	8-37/64"	110	10-27/32"	11-1/32"	180
8-1/2"	8-11/16"	109	10-61/64"	11-9/64"	133
8-21/32"	8-27/32"	108	10-31/32"	11-5/32"	132
8-39/64"	8-51/64"	153			

LISTED AS PER BELT SIZE

Circumference Around Pulleys	Cut Length	G-C Belt No.	Circumference Around Pulleys	Cut Length	G-C Belt No.
11"	11-3/16"	135	14-27/64"	14-39/64"	147
11-5/64"	11-17/64"	130	14-33/64"	14-3/4"	148
11-9/64"	11-21/64"	131	14-57/64"	15-5/64"	151
11-5/32"	11-15/32"	137	15-1/64"	15-13/64"	149
11-3/16"	11-3/8"	171	15-17/64"	15-29/64"	187
11-9/32"	11-15/32"	131W	15-7/16"	15-5/8"	183
11-3/8"	11-9/16"	134	15-13/16"	16"	182
11-25/64"	11-37/64"	136	straight belt	16" - str. Belt	192
11-7/16"	11-5/8"	173	15-61/64"	16-9/64"	150
11-21/32"	11-27/32"	194	16-19/64"	16-31/64"	170
11-3/4"	11-15/16"	141	16-27/64"	16-39/64"	184
11-13/16"	12"	143	16-15/16"	17-1/8"	185
12"	12-3/16"	138	17-1/16"	17-1/4"	165
12-1/32"	12-7/32"	154	17-13/32"	17-19/32"	169
12-3/32"	12-1/4"	142	17-37/64"	17-49/64"	179
12-7/32"	12-13/32"	140	17-5/8"	17-13/16"	190
straight belt	12-7/16" - str. belt	193	18-1/2"	18-11/16"	189
12-9/32"	12-15/32"	139	18-9/16"	18-3/4"	181
12-15/32"	12-21/32"	144	19-7/16"	19-5/8"	166
12-1/2"	12-11/16"	178	19-47/64"	19-59/64"	188
12-39/64"	12-51/64"	145	21-5/16"	21-1/2"	175
12-13/16"	13"	168	22-35/64"	22-47/64"	176
13-1/6"	13-3/8"	146	22-19/64"	22-61/64"	191
14-7/32"	14-13/32"	186			

G-C DANDY TEST LITE



New neon test lite for checking radios, television sets, fuses, circuits, etc. Simple, safe and dependable for tracing all kinds of trouble. Use on voltages of 60 volts AC to 550 volts AC or DC.


No.		List
8585	Dandy Lite	\$1.25



G-C STANDARD SPEEDEX WIRE STRIPPER

Fast operating precision made hand tool for stripping insulation from all types of wire. Very easy to operate. Strips 750 to 1000 wires per hour. Used by girls or men. All blades are interchangeable and easily replaced.


No.	Wire	List
733	12 to 20	\$6.60
733-A	14 to 30	6.60
733-B	10 to 18	6.60
733-C	8 to 10	6.60
733-D	16, 18, 20, 22	6.60
733-E	14, 16, 18	6.60
733-F	10, 12, 14	6.60
733-G	For #18 P.O. S.J. or parallel wire	6.60
733-H	For the new 300-Ohm television and FM transmission line	6.60
733-I	For 10, 12, 14, 16, 18, 20, 22 wire	6.60



G-C AUTOMATIC SPEEDEX WIRE STRIPPER

Similar to standard models except has the "stay open feature" with the new Speedex "Trig-O-Matic Action." Automatically holds jaws open until wire is removed, and prevents bending or crushing of fine wires. Has on-off mechanism so tool can be used as standard model if desired.

No.	Wire	List
744	12 to 20	\$8.25
744-A	14 to 30	8.25
744-B	10 to 18	8.25
744-C	8 to 10	8.25
744-D	16, 18, 20, 22	8.25
744-E	14, 16, 18	8.25
744-F	10, 12, 14	8.25
744-G	For #18 P.O.S.J. or parallel wire	8.25
744-H	For the new 300-Ohm television and FM transmission line	8.25
744-I	For 10, 12, 14, 16, 18, 20, 22 wire	8.25



G-C HEAVY DUTY SPEED-O-MATIC WIRE STRIPPER

Improved version of the "744" series, ideal for production line. Delayed return action. Will not crush stranded wires. Sturdy, easy to use. Interchangeable blades.

No.	Wire	List
766	10 to 20	\$8.25
766-A	14 to 30	8.25
766-B	10 to 18	8.25
766-C	8 to 10	8.25
766-D	16, 18, 20, 22	8.25
766-E	14, 16, 18	8.25
766-F	10, 12, 14	8.25
766-G	For #18 P.O.S.J. or parallel wire	8.25
766-H	For 300-Ohm TV & FM twin transmission line	8.25
766-I	For 10, 12, 14, 16, 18, 20, 22 wires	8.25
766-M	10 to 20	8.25
766-N	Straight cutter blades	8.25



G-C SPEEDEX WIRE STRIPPER KIT

Wire stripper complete with seven different size blades put up in a specially designed permanent steel box. For wires No. 8 to No. 30.

No.	List
733-K	Standard Stripper Kit, with blades \$15.60
744-K	DeLux Automatic Stripper Kit, with blades 17.25
766-K	Speed-O-Matic Kit 17.25



No.	Wire	List
3W	12 to 20	\$1.65
3W-A	14 to 30	1.65
3W-B	10 to 18	1.65
3W-C	8 to 10	1.65
3W-D	16, 18, 20, 22	1.65
3W-E	14, 16, 18	1.65
3W-F	10, 12, 14	1.65
3W-G	Blades for parallel #18 P.O.S.J. or similar	1.65
3W-H	Blades for the new 300-Ohm television and FM twin transmission line	1.65
3W-I	For 10, 12, 14, 16, 18, 20, 22 wire	1.65


When Blades for 766 Series Stripper are wanted — specify 2W — instead of 3W.



G-C SPEEDEX TRIG-O-MATIC PLATE

Converts any standard Speedex Stripper to an Automatic Model.

No.	List
756	Trig-O-Matic Plate, only \$2.20



G-C UNIVERSAL TYPE TEST LEADS

Heavy duty 6000-volt leads 50" long, made with unbreakable plastic handles 6" long with solderless type tips. Other end comes with standard banana plugs, interchangeable for spade lugs, phone tips, and alligator clips. Supplied complete.


No.	List
8463	Universal Test Leads \$3.00
8464	Same, but supplied with needle point prods List 3.00

G-C TOOL HANDLE INSULATING TUBES



For insulating your hand tools. A supply of insulating tubing in assorted sizes to insulate all types of handles on pliers, cutters, screw driver blades, etc. Simply soak tubing for a few minutes in G-C Service Solvent. The tubing will swell. Slip it over the handles and allow to dry. It will shrink on drying. (G-C Service Solvent is not included in kit.)

No.	List
8118-E	Env. Asstd. Tubing \$0.45



G-C INSPECTION LITE

Operates on 110-120 volts AC or DC. Cord approximately 6 feet long.


No.	List
704	Inspection Light \$2.25
704-S	Replacement Bulb for #705 .20
	Clear Plastic Shield .10



G-C MASTER TEST LEADS

The best test leads you can buy. 50" long, 6000-volt, heavy duty test prods, solderless type. Flexible leads run through handles and are fastened under the knurled collar on the tips. Available with either the attached angle tips or the straight solderless type tips.

No.	List
5050	With Solderless type Straight Tips \$1.85
8459	With Angle type Test Tips 2.10



G-C THIN TYPE TEST LEADS

This is a handy pair of test leads for hard-to-reach places. Made with slim, plastic handles with long, slim insulated test rods attached. Made with 50" of 6000-volt test lead wire. Comes equipped with angle type phone tips.

No.	List
8465	Thin Type Test Leads \$2.10



G-C "TUX" TOOL KIT

Made of "Alathlon" polyethylene. Tough, flexible, will not lose shape. Handy for all most needed tools.

No.	List
8943	\$3.95



G-C NE-O-LITE

A simple, safe, electrical circuit tester for voltages from 60 volts AC to 550 volts AC or DC. Used for radio, electrical and automotive testing. Molded plastic.

No.	List
5100	Ne-O-Lite \$0.60

G-C RESISTOR FOR NEON LAMP

Required resistor when using No. 717 neon lamp on voltages of 60 to 550 volts AC or DC. Connect in series.

No.	List
718	\$0.07



G-C NEEDLE POINT TEST LEADS

Heavy duty 6000-volt test leads, 50" long, made with unbreakable plastic handles 6" long with needle type chuck and needle to penetrate insulation. Available with either the attached angle tips or the straight solderless type tips.


No.	List
8461	With Solderless Straight Tips \$1.95
8462	With Angle type Test Tips 2.25



G-C TWEEZERS AND KIT

For the shop or laboratory to pick up and examine small parts, start screws and nuts, to get in hard-to-get spots, stringing dial cord, etc.

No.	List
7950	Tweezer Kit, beautiful leatherette case and one each tweezers described below \$3.55
7946	6 1/2" Self-closing tweezer. Opens when squeezed. Serrated, blunt points. 1.15
7947	6 1/2" Heavy-duty type with slide lock feature. Holds wires or parts tight. Serrated, blunt points. 1.30
7948	4 1/2" Precision Tweezer. Narrow pointed ends for delicate work. 0.60



G-C NEON GLOW LAMPS

NE-T2 lamp as used in testers, appliances, as pilot light, etc.

No.	List
717	\$0.25



GENERAL CEMENT

TEST PRODS • PLUGS • TIPS

G-C LOW-LOSS DELUXE TEST PRODS



New polished low-loss material. Non-breakable. Moisture resistant. Withstands high voltages. Solderless type, brass nickel-plated.

No.	Color	List
5045	Red	\$0.50
5046	Black	.50

G-C TEST LEAD ANGLE TIP



New, attractive, fully insulated, molded plastic angle phone tip plugs. Will take wires up to .140 diameter.

No.	Color	List
8149	Red, each	\$0.45
8150	Black, each	.45

G-C TEST PROD TIPS



Solderless type, brass nickel-plated. Non-insulated. Wire fastens easily.

No.	List
5060	\$0.17

G-C HEAVY DUTY PHONE PLUG



Standard type as used on test prods, leads, etc. Fits snugly in $\frac{1}{4}$ " hole. Brass nickel-plated.

No.	List
7706	\$0.17

G-C PHONO NEEDLE POINT TEST PROD CHUCK



Push on type fits snugly in $\frac{1}{4}$ " hole. Brass nickel-plated.

No.	List
7703	\$0.22

G-C INSULATED SPADE LUG



Tapered spade lug fits all screws or terminal strips up to No. 10. Insulated female end fits banana plugs.

No.	Color	List
7712	Red	\$0.18
7713	Black	.18

G-C INSULATED PHONE TIP JACKS



Standard insulated type phosphor bronze spring contacts. $\frac{3}{16}$ " insulated head. Fits $\frac{1}{4}$ " hole and panels up to $\frac{1}{4}$ " thick. Brass parts nickel-plated.

No.	Color	List
7715	Red	\$0.22
7716	Black	.22

G-C SET SCREW TYPE BANANA PLUG



Insulated set screw type. Polished insulated plastic handles. Nickel-plated metal parts.

No.	Color	List
7732	Red	\$0.30
7733	Black	.30

G-C SPLIT BANANA PLUG



Standard size with 6-32 threaded shank. Use on plug-in coils; terminal strips, etc. Complete with lug and nut. Brass nickel-plated.

No.	List
7736	\$0.22

G-C BANANA JACK



Standard size banana pin jack. Fits $\frac{1}{4}$ " hole up to $\frac{3}{16}$ " thick panel. Nut and lug supplied. Brass nickel-plated.

No.	List
7740	\$0.17

G-C NEEDLE POINT TEST PRODS



Adjustable chuck tip for needle. 6" polished plastic handles in Red or Black. Brass Nickel-plated chuck removable. Includes needle. (Specify color.)

No.	List
7701	\$0.50

G-C SHIELDED PHONO PICK-UP WIRE



Handy package of single conductor shielded wire as used on phono pick-ups, etc. Enough wire for several jobs in package.

No.	List
1738-E	\$0.45
H675-F	.50

Plastic Box

G-C TELEVISION HIGH-VOLT BAKELITE TEST PROD HANDLE



Heavy duty type test prod with finger ground ring to protect from the high voltage. Protects against the high voltage in a TV Set. Designed so that the minimum of metal is exposed. Made of bakelite.

No.	Color	List
8986	Red	\$1.20
8986-1	Black	1.20
8986-2	Red & Black	2.35

G-C TEST LEAD WIRE



Ideal long-life replacement wire, extra flexible, 6000-volt insulation. Red and Black. (Specify color.)

No.	Env.	1 Red, 1 Black	50" long	List
5049	100 feet			\$0.80
5049-C				8.25

G-C INSULATED TEST PROD TIPS



Unbreakable polished plastic insulated handles. Solderless connectors, brass nickel-plated.

No.	Color	List
5061	Red	\$0.25
5061-E	Env. 2	.50
5062	Black	.25
5062-E	Env. 2	.50

G-C PHONO NEEDLE POINT TEST PROD CHUCK



Threaded chuck fits $\frac{1}{4}$ -20 threaded hole. Needle removable. Brass nickel-plated. Includes needle.

No.	List
7702	\$0.22

G-C STANDARD PHONE TIP



Standard tip made of drawn brass, bright nickel plated.

No.	Env.	List
6320-E	12	\$0.45

G-C SOLID STANDARD PHONE TIP



Solid brass type made to RMA specifications. Bright nickel-plated.

No.	Env.	List
6321-E	8	\$0.45

G-C INSULATED PHONE TIP PLUG



Fits standard phone tip jacks. Polished non-breakable low-loss plastic insulated handles. Brass, nickel-plated tip. Minimum contact exposure.

No.	Color	List
7710	Red	\$0.20
7711	Black	.20


G-C PHONO TIP JACKS



Standard type with phosphor bronze spring contacts. Fits $\frac{1}{4}$ " hole and panels up to $\frac{3}{16}$ " thick. Brass parts nickel-plated.

No.	List
7714	\$0.17

G-C SPLIT BANANA PLUG



Insulated solderless type with polished insulated handles. Metal parts nickel-plated.

No.	Color	List
7730	Red	\$0.30
7731	Black	.30

G-C SMALL BANANA PIN PLUG



Approved silver-plated plugs with straight shank. Can be riveted or soldered. For wires, multiple plugs, etc.

No.	Env.	List
6400	10	\$0.45

G-C SPLIT BANANA PLUG



Standard size with 6-32 female thread on end. Supplied with screw and solder lug. Brass nickel-plated.

No.	List
7737	\$0.25

G-C INSULATED BANANA JACK



Standard size with polished plastic insulators. Fits $\frac{3}{16}$ " hole, up to $\frac{3}{16}$ " thick panel. Nut, lug, and insulators supplied. Brass, nickel-plated.

No.	Color	List
7741	Red	\$0.22
7742	Black	.22

G-C INSULATED BANANA PLUG OR PHONE TIP JACK



Standard size insulated combination jack. Brass nickel-plated with phosphor bronze spring contacts. Fits $\frac{1}{4}$ " hole, panels up to $\frac{3}{16}$ " thick.

No.	Color	List
7744	Red	\$0.27
7745	Black	.27

G-C COMBINATION BINDING POST



Dual purpose insulated head binding post. Banana plug fits in top, phone tips in side. Supplied with 6-32 x $\frac{1}{2}$ " stud and 2 hex nuts. Red or black.

No.	Color	List
7725	Red Binding Post	\$0.45
7726	Black Binding Post	.45

G-C ONE-INCH JEWEL SIGNAL LIGHT



For signal devices of all types. Bulbs change from the front; for socket bases as listed below. One inch mounting hole. Jewel colors: Red, Green, Amber, and Opal. (Specify Jewel Color.)

No. 7901	List \$2.35
100-V Cand. Facet	
No. 7902	List \$2.25
110-V. Cand. Smooth	
No. 7903	List \$2.15
Min. Bayonet Facet	
No. 7905	List \$2.05
Min. Screw Facet	

G-C PANEL JEWELS



Complete assemblies in 1", $\frac{3}{4}$ ", and $\frac{1}{2}$ " diameters. Fit panels up to $\frac{1}{4}$ " thick. Brass nickel-plated. Colors: Red, Green, Blue, Amber, Opal, Clear. (Specify color.)

No.	Dia.	Jewel	Mtg. Hole	List
7913	$\frac{1}{2}$ "	Facet	7/16"	\$0.40
7914	$\frac{3}{4}$ "	Smooth	7/16"	.40
7915	$\frac{1}{2}$ "	Facet	11/16"	.75
7916	1"	Facet	1"	1.75

G-C UNMOUNTED PILOT LIGHT SOCKETS



Cadmium-plated. Ideal for replacements or special assemblies.

No.	Type	List
7932	Min. Screw Base	\$0.15
7933	Min. Bayonet Base	.15
7934	110-V. Candelabra	.15

G-C FEMALE MICROPHONE CONNECTOR



Single contact female type used with No. 7940, 7941 and 7943 connectors. Complete, brass chrome-plated.

No.	List
7942	Connector \$0.70

G-C INSULATED ALLIGATOR CLIP



Solder type with Red or Black insulated sleeve. Strong spring. Nickel-plated.

No.	List
5064	Red Clip \$0.14
5065	Black Clip .14

G-C ALLIGATOR CLIP



Wire fastens under set screw. Handy for all types of connectors. Cadmium-plated.

No.	List
7752	Clip \$0.095

G-C $\frac{3}{4}$ -INCH JEWEL SIGNAL LIGHT



Signal light with facet jewels in colors of Red, Green, Blue, Amber. $\frac{3}{8}$ " mounting hole. Jewel removed from front. (Specify color.)

No.	Socket	List
7907	Min. Screw	\$1.10
7908	Min. Bayonet	1.25
7909	110-V. Candel.	1.30

G-C CLIP-ON PILOT LIGHT SOCKETS



Clip up and clip down types for replacements. Cadmium-plated.

No.	Type	List
7920	Min. Screw Clip Up	\$0.17
7921	Min. Screw Clip Down	.17
7922	Min. Bay. Clip Up	.20
7923	Min. Bay. Clip Down	.20
7924	110-V. Cand. Clip Up	.20
7925	110-V. Cand. Clip Down	.20

G-C PILOT LAMP INSTALLER



Makes it easy to install miniature dial bulbs, neon and candelabra lamps in hard-to-get-at places. All rubber.

No.	List
7935	Installer \$0.65

G-C MICROPHONE CHASSIS UNIT CONNECTOR



Single contact male connector for chassis. Used with Type 7942 female connector. Supplied complete. Brass nickel-plated.

No.	List
7941	Connector \$0.45
7943	Closed Circuit Type, prevents open circuit noises when mike is disconnected \$0.65


G-C ALLIGATOR CLIP



Solder type, non-insulated. Strong spring for positive contact. Nickel-plated.

No.	List
5063	Clip \$0.085


G-C $\frac{1}{2}$ -INCH JEWEL SIGNAL LIGHT



Signal light, requires $\frac{5}{16}$ " mounting hole. Facet jewel removed from front. Colors: Red, Green, Blue, Amber, Opal, Clear. (Specify color.)

No.	Socket	List
7910	Min. Screw	\$0.55
7911	Min. Bayonet	.55
7912	110-V. Candel.	.70


G-C BRACKET-TYPE PILOT LIGHT SOCKETS



Sturdy bracket-up or bracket-down type. Cadmium-plated.

No.	List
7926	Miniature Screw Bracket Up \$0.17
7927	Bracket Down .17
7928	Miniature Bayonet Bracket Up .19
7929	Bracket Down .19
7930	110-V. Candelabra Bracket Up .20
7931	Bracket Down .20


G-C MALE MICROPHONE CONNECTOR



Completely shielded, sturdy, single contact connector. Brass, bright chrome-plated. Steel spring cord protector.

No.	List
7940	Connector \$0.50

G-C MICROPHONE CONNECTOR CAP



Chrome-plated cap with anchor chain for all connectors. Seal against dirt and prevent thread damage.

No.	List
7944	Connector Cap \$0.75

G-C SCREW TYPE INSULATED ALLIGATOR CLIP



Very popular. Bright polished handles. Set screw for wire.

No.	List
7750	Black Clip \$0.16
7751	Red Clip .16

G-C FAHNESTOCK CLIPS AND PLUGS

G-C SMALL CLIP



$\frac{1}{2}$ " long by $\frac{3}{16}$ " wide. Handles up to No. 16 wire. No. 4 Mtg. Hole.

No.	List
6301	Each \$0.04

G-C DOUBLE CLIP



$1\frac{1}{2}$ " long by $\frac{1}{8}$ " wide. No. 6 Mtg. Hole.

No.	List
6304	Each \$0.15

G-C MEDIUM CLIP



$\frac{3}{4}$ " long by $\frac{1}{8}$ " wide. Handles up to No. 14 wire. No. 6 Mtg. Hole.

No.	List
6302	Each \$0.04

G-C MEDIUM SOLDER LUG CLIP



$\frac{3}{4}$ " long by $\frac{1}{8}$ " wide. No. 6 Mtg. Hole.

No.	List
6306	Each \$0.07

G-C LARGE CLIP



$1\frac{1}{2}$ " long by $\frac{3}{8}$ " wide. No. 8 Mtg. Hole.

No.	List
6303	Each \$0.08

G-C BANANA PLUG SPLICE



Couples two standard type banana plugs. Two colors.

No.	List
7746	Red Plug Splice \$0.40
7747	Black Plug Splice .40

G-C BANANA PLUG AND TIP JACK COMBINATION



Converts phone tip test leads to fit banana plugs. Length $1\frac{1}{2}$ ".

No.	List
7748	Red Plug/Jack \$0.50
7749	Black Plug/Jack .50

G-C ALLIGATOR CLIP & PHONE TIP JACK



Overall length $2\frac{3}{4}$ ", with 1" handle. Two colors.

No.	List
7723	Red Clip/Jack \$0.55
7724	Black Clip/Jack .55

G-C INSULATED SPRING TYPE BANANA PLUG



Solderless type, no screws or contacts showing. Length $1\frac{1}{2}$ ", with 1" handle.

No.	List
8994	Red Plug \$0.35
8995	Black Plug .35

G-C SPRING TYPE BANANA PLUG



Solderless wire connection with set screw on side. Length $1\frac{1}{2}$ ", with $\frac{3}{8}$ " handle.

No.	List
8996	Red Plug \$0.30
8997	Black Plug .30

G-C SPRING TYPE BANANA PLUG



Hex brass, nickel plated plug. Threads 6-32 x $\frac{3}{8}$ ". Length $1\frac{1}{4}$ ".

No.	List
8998	\$0.25

G-C SPRING TYPE BANANA PLUG



Phosphor bronze contacts. Contact screw 6-32, soldering lug.

No.	List
8999	\$0.25

G-C COMBINATION ALLIGATOR CLIP PHONE TIP AND BANANA JACK



Length 3", with $1\frac{1}{2}$ " handle.

No.	List
7721	Red Clip \$0.65
7722	Black Clip .65

G-C TEST LEAD PLUG INTERCHANGE KIT



Handy kit for interchanging alligator clips, banana plugs, spade lugs or phone tips. Includes red and black phone tips, combination jacks and plugs. Fitted plastic case.

No.	List
7743	Kit \$3.75

G-C INSULATED BELL STAPLES

No. 1 No. 2 No. 3 No. 5 No. 6 No. 7 No. 10



No.	List
1751	Fig. 1, $\frac{1}{8}$ " x $\frac{1}{2}$ " Box 50, No. 1 \$0.30
1752	Box 100, No. 1 .50
1753	Fig. 2, $\frac{3}{16}$ " x $\frac{5}{8}$ " Box 50, No. 2 .30
1754	Box 100, No. 2 .50
1755	Fig. 3, $\frac{3}{16}$ " x $\frac{3}{4}$ " Box 50, No. 3 .30
1756	Box 100, No. 3 .50
1757	Fig. 5, $\frac{1}{4}$ " x $\frac{5}{8}$ " Box 50, No. 5 .30
1758	Box 100, No. 5 .50
1759	Fig. 6, $\frac{1}{4}$ " x $\frac{3}{4}$ " Box 100, No. 6 .50
1760	Fig. 7, $\frac{1}{4}$ " x $\frac{5}{8}$ " Box 100, No. 7 .50
1761	Extra Large Cable Size Fig. 10, $\frac{3}{8}$ " x $\frac{3}{4}$ " Box 100, No. 10 .85



GENERAL CEMENT

SWITCHES • SPAGHETTI • TUBING




G-C TOGGLE SWITCH WITH WIRE LEADS

For vacuum cleaners, appliances, radio sets, etc. Made by H & H for G-C. Rated at 3 amps., 125 volts. Nickel Plated.

No.	List
1335 "Bat Handle" S.P.S.T.	\$1.45
1336 "Ball Handle" S.P.S.T.	1.45

G-C PUSH BUTTON SWITCH

Two circuit, "slow make and quick break" momentary contact switch. One circuit normally on, other off; pushing button reverses circuits in use. Made by H & H for G-C. 3 amps., 125 volts. Shank $\frac{5}{8}$ " long.



No.	Switch	List
1340		\$1.75

PUSH BUTTON

For 1340 Switch. Red or Black (Specify).

No.	Button	List
1343		\$0.40

G-C HEAVY DUTY POWER SWITCH

D.P.S.T. toggle power switch for motors, appliances, projectors, etc. Made by H & H for G-C. 12 amps., 125 volts. Nickel Plated.



No.	D.P.S.T.	List
1350		\$2.25

G-C MOLDED BAKELITE TOGGLE SWITCHES

Bat handle style, silver plated contacts. Rated 3 amps. at 250 volts, 6 amps., 125 volts. 5000 volt. Nickel Plated.



No.	S.P.S.T.	List
1361		\$1.35
1362	S.P.D.T.	1.60
1363	D.P.S.T.	1.95
1364	D.P.D.T.	2.65
Momentary Switches (circuit normally "off")		
1365	S.P.S.T.	1.95
1365A	S.D.D.T.	2.50
1366	D.P.D.T.	2.80

G-C SPAGHETTI ON SPOOLS

"Approved by ASTM"


5000-Volt Dielectric Strength. Best grade varnished tubing put on convenient 20-ft. spools. Will fit wire from No. 12 to No. 18. Colors: Black, Red, Yellow, Green, Blue. Specify color.



No.	Spool - 20-ft.	List
499		\$1.85

G-C ASSORTED SPAGHETTI KIT

An assortment of $7\frac{1}{2}$ " lengths of spaghetti sleeving. 26 lengths to the kit. Sizes include from No. 17 wire to $\frac{3}{16}$ " I.D. A very handy bundle to have for repair jobs.



No.	Kit 26 Lengths	List
550		\$0.60

G-C SPAGHETTI ASSORTMENT

"A Box Full of Spaghetti"

Here's a buy you can't beat on a spaghetti assortment. A variety of sizes and colors are included of high grade varnish tubing. Put up in attractive box.



No.	List
551	\$1.50

G-C FYBEROID

"FISH PAPER"

Fish paper has many uses around the shop for repair jobs where electrical insulation is required. .010" — 240 sq. in. roll.

No.	Roll	List
560		\$0.75



G-C ON-OFF PLATE

Will fit the G-C, H & H, Cutler-Hammer and other makes of standard switches.

No.	On-Off Plate	List
1329		\$0.06



G-C ROTARY SWITCHES

Best grade enclosed rotary switches. Made by H & H for G-C. 3 amps., 125 volts. Shafts $1\frac{1}{2}$ " long.

No.	List	No.	List
1320 S.P.S.T.*	\$1.20	1324 D.P.S.T.**	\$2.30
1321 S.P.S.T.**	1.50	1325 D.P.D.T.*	2.35
1322 S.P.D.T.*	1.55	1326 D.P.D.T.**	2.50
1323 S.P.D.T.**	1.90		

* $\frac{3}{8}$ " Shank Length **1" Shank Length

G-C EXTRA HEAVY DUTY POWER SWITCH

Three position for motors, projectors, transmitters, movie equipment, etc. Made by H & H for G-C. 10 amps., 125 volts. Neutral off in center. Size 2" x 1" x $1\frac{1}{2}$ ", shank $\frac{3}{4}$ " diameter.



No.	D.P.D.T.	List
1352		\$ 8.25
1353	3-P.D.T.	12.55
1354	4-P.D.T.	17.25

G-C REAR SPEAKER TONE SWITCH

Designed for rear seat auto radio speakers. Permits use of either speaker separately or together.



No.	Switch	List
8891		\$0.95



G-C STACKPOLE SLIDE SWITCHES

Made by Stackpole for G-C. Used on radios, phonographs, etc. UL approved at .5A-125V. and higher.

No.	List	No.	List
1367	\$0.25	1369	\$0.35
1368	.25	1369A	.35
		1370	.35
		1370A	.35

* $\frac{1}{16}$ " w. x $1\frac{1}{8}$ " l. ** $\frac{1}{16}$ " w. x $1-57/64$ " l.

G-C GENFLEX PLASTIC TUBING



High grade extremely flexible plastic tubing for Radio and Electronic Insulation work. Resistant to cold or heat. High dielectric strength, average 8,000 volts. Colors: Black, Red, Green, Clear. (Specify.)

No.	Wire	Pkg.	List
603	18	20 ft.	\$1.20
605	16	20 ft.	1.20
607	14	20 ft.	1.20
609	12	20 ft.	1.20
611	10	15 ft.	1.20
613	8	15 ft.	1.20
616	6	10 ft.	1.20
617	4	10 ft.	1.20
620	2	10 ft.	1.20
625	Fits over 300-ohm Twin Line 8 ft.		1.10

G-C PLASTIC TUBING KITS



Handy kits of assorted colors and sizes. Ideal for experimenters and servicemen.

No.	List
635	\$1.20

Kit of 25 ft. Asstd.

G-C RADIO FRICTION TAPE



This narrow $\frac{3}{8}$ " tape was particularly made for radio work. It eliminates waste and tearing of tape. It saves time and is handy to carry with you.

No.	Roll	List
870	65 ft. $\frac{3}{8}$ "	\$0.65
871	65 ft. $\frac{3}{4}$ "	1.25



G-C TOGGLE SWITCHES

Ball handle general purpose switch. Made by H & H for G-C. 3 amps., 125 volts. Nickel Plated.

No.	List	No.	List
1300	\$1.00	1304	\$1.80
	S.P.S.T.*		D.P.S.T.*
1301	\$1.20	1305	\$2.05
	S.P.S.T.**		D.P.S.T.**
1302	\$1.30	1306	\$2.10
	S.P.D.T.*		D.P.D.T.*
1303	\$1.50	1307	\$2.30
	S.P.D.T.**		D.P.D.T.**

* $\frac{1}{2}$ " Shank Length

** $\frac{3}{4}$ " Shank Length

G-C BAT HANDLE TOGGLE SWITCH

Tear drop handle general purpose switch. Made by H & H for G-C. 3 amp., 125 volts. Nickel Plated.



No.	S.P.S.T.	List
1330		\$1.00
1331	S.P.D.T.	1.30
1332	D.P.S.T.	1.85
1333	D.P.D.T.	2.10

G-C PUSH-ON PUSH-OFF SWITCH



For vacuum cleaners, appliances, test equipment. Made by H & H for G-C. Rated at 3 amps., 125 volts. Nickel Plated.

No.	S.P.S.T.	List
1338		\$2.20

G-C NEUTRAL CENTER SWITCH

Handy radio, appliance and tester switch with 3 positions, on-off-on. Rated 15 amps., 110 volts; 50" shank. Nickel Plated.



No.	S.P.D.T.	List
1308		\$2.25
1309	D.P.D.T.	2.75

G-C HEAVY DUTY POWER SWITCH

Push button, D.P.S.T. safety switch for transmitters, refrigerators and high frequency work made by H & H for G-C. 12 amps., 125 volts. Nickel Plated.



No.	D.P.S.T.	List
1351		\$3.00

G-C RADIO SPAGHETTI



Best grade Radio and TV spaghetti. Smooth coated, best varnishes. Very flexible. 5000 volt dielectric. Approved by ASTM. Colors: Black, Red, Yellow, Green, Brown. Specify color. 30" lengths.

No.	Size	List
500	No. 20 ft 20 wire	\$0.20
503	No. 17, ft 18 wire	.22
506	No. 14, ft 14 wire	.24
508	No. 12, ft 12 wire	.26
512	$\frac{1}{8}$ " I.D.	.33
515	$\frac{3}{16}$ " I.D.	.38
518	$\frac{1}{4}$ " I.D.	.55
521	$\frac{3}{8}$ " I.D. (resist. size)	.99
522	$\frac{1}{2}$ " I.D.	1.15
523	$\frac{3}{4}$ " I.D.	1.32

G-C INSULATING CAMBRIC



10,000 Volts

Yellow varnished cambric. .010" thick.

No.	List
549	\$1.00

Roll over 210 sq. in.
No. 548 List \$3.65
36" x 36" yd., any length

G-C LAMINATED BAKELITE PANELS




$\frac{1}{16}$ " thick. Black.

No.	List
590	\$0.70

6" x 6" x $\frac{1}{16}$ "
No. 591 List \$1.35
6" x 12" x $\frac{1}{16}$ "

No.	List
592	\$2.65

12" x 12" x $\frac{1}{16}$ "



G-C WIRE MARKERS

Self-sticking, all temperature markers for tracing circuits, identifying wires, harnesses, etc. Pre-cut to exact size, No. 1 to No. 33 (3 full strips to kit).

No. 9229

List \$1.25




GENERAL CEMENT

RADIO-TV SERVICE AIDS

G-C SPEEDEX SOLDERLESS TERMINALS

Solderless Crimp Type Connectors Will Fit No. 16 to 22 Wires



STYLE NO. AND DESCRIPTION	STANDARD BOX		BOX OF 144		BOXES OF 1,000	
	No.	Quan.	No.	List	No.	List
Assortment of 50 Terminals.....	8177	50				
"A" Small Ring Type No. 6 Screw.....	8178	50	8178-G	\$5.65	8178-M	\$33.75
"A" Large Ring Type No. 6 Screw.....	8179	50	8179-G	5.39	8179-M	32.00
"A" Large Ring Type No. 8 Screw.....	8180	50	8180-G	5.65	8180-M	33.75
"A" Large Ring Type No. 10 Screw.....	8181	50	8181-G	5.65	8181-M	33.75
"A" Large Ring Type for 16-14 Wire, No. 10 Screw.....	8188	50	8188-G	5.65	8188-M	33.75
"B" Slotted Tongue Type No. 6 Screw.....	8182	40	8182-G	6.40	8182-M	37.00
"B" Slotted Tongue Type No. 8 Screw.....	8294	50	8294-G	5.65	8294-M	33.75
"B" Slotted Tongue Type No. 10 Screw.....	8295	40	8295-G	6.40	8295-M	37.00
"C" Knife Disconnect.....	8185	25	8185-G	9.35	8185-M	56.00
"D" Butt Connector.....	8186	35	8186-G	7.80	8186-M	46.75
"E" Parallel Connector 22-16 Wire.....	8187	50	8187-G	5.35	8187-M	32.00
"E" Parallel Connector 16-14 Wire.....	8189	50	8189-G	5.35	8189-M	32.00
"F" Disconnect Plastic Tubing.....	8190	175	8190-G	.90	8190-M	5.00
"G" Connector Plastic Tubing.....	8191	175	8191-G	.90	8191-M	5.00
"H" Terminal Plastic Tubing.....	8192	175	8192-G	1.75	8192-M	10.00
"I" Hook Type Connector No. 6 Screw.....	8193	50	8193-G	5.65	8193-M	33.75

G-C CHASS-EZ



A tool to make the Serviceman's job easier. Chassis can be installed in "Chass-Ez" in five seconds. All one unit — no extra bolts or nuts to adjust. Heavy steel, riveted construction, heavily plated.

No. 5207

List \$4.00

G-C TELEVISION SAF-T-RACK




A sturdy rack to use in repairing heavy television chassis. Set it on the rack and tilt it on side. Hooks hold the chassis on its side so you can work on it. Prevents tubes from being damaged.

No. 8045

Saf-T-Rack

List \$5.45

G-C TV CHASSIS SUPPORT




Prop chassis to easy working position on bench or on job. Slip on and tighten thumb screws. Steel 11" long, heavily plated. Pair.

No. 9176

List \$3.00




G-C PHONO TURNTABLE STAND



New improved model, adjustable to all turntables. Raises the turntable 15 inches above bench. Pivots on swivel joints for easy examination or repairs. Sturdy steel construction. Plated.

No. 5205

List \$8.25



G-C TEST SOCKET ADAPTERS

Designed for easy testing and checking of voltage, resistance, video and audio from top of chassis. Low RF loss phenolic construction, extended test tabs, high insulation resistance.

G-C 7-PIN MINIATURE ADAPTER

No. 9247

List \$2.75

G-C 9-PIN MINIATURE ADAPTER

No. 9249

List \$3.10

G-C 8-PIN OCTAL ADAPTER

No. 9248

List \$2.60

G-C DUO-DECAL CRT ADAPTER

No. 9251


List \$3.25



GENERAL CEMENT


TOOLS—THERMISTORS—FUSE-SISTORS

G-C MINI-MAX STRIP



Used for connecting 67 1/2 volt "B" batteries, such as Eveready 455, 466; Burgess XX30, XX45.

No. 8115 List \$0.30



G-C SHAFT COUPLINGS, EXTENSIONS AND REDUCERS


BRASS FITTINGS			INSULATED FITTINGS		
No.		List			
6701	1/4" to 1/4" coupling	\$0.20	6721	1/4" to 1/4" coupling	.25
6702	1/4" to 3/8" coupling	.30	6722	1/4" to 3/8" coupling	.30
6703	1/4" to 1/2" coupling	.30	6725	1/4" hole to 1/4" shaft extension	.30
6704	3/8" to 3/8" coupling	.30	6734	1/4" x 6" fibre shaft	.40
6705	1/4" hole to 1/4" shaft extension	.30	6735	1/4" x 12" fibre shaft	.65
6710	3/8" hole to 1/4" shaft extension and reducer	.30			
6712	1/4" x 6" brass shaft	.25			
6713	1/4" x 12" brass shaft	.45			
6716	1/4" hole x 1/4" round shaft x 4" long	.35			



NEW WHIZ WIRE STRIPPER

Precision milled, hardened steel cutters — fast, effortless operation, designed to prevent wire jamming — jaws lock open automatically — quick finger-tip release — strong, durable, light weight — smooth, all steel. Black rust resistant finish — order yours now.

No.		List
788	3 Hole Blade Ga. #12 thru #22	\$6.60
788-B	3 Hole Blade Ga. #10 thru #16	6.60
788-D	4 Hole Blade Ga. #14 thru #24	6.60
788-H	300 ohm Blade for twin lead-in	6.60



G-C SPEEDEX SPRING WINDER

New Speedex Spring Winder that will make any spring you need for any repair job. Is simple to operate. Any diameter spring and any size wire can be used. Makes any type of spring, any number of coils and any pitch desired. Makes both compression and extension springs. Fastens to any bench.

No.		List
5209	Speedex Spring Winder	\$24.95
5210	Replacement Kit of Asst. Sizes of Music Wire	2.75

G-C SOLDERLESS TERMINAL RADIO and TV REPAIR KIT

Kit includes a heavy duty terminal tool and wire stripper to properly fasten solderless terminals. Very handy for indoor or outdoor use as it eliminates soldering. Excellent for installing TV antennas. Supplied in handy box with tool and generous supply of terminals.

No.		List
8176	Complete Kit	\$6.60

G-C SLUG RETRIEVER TOOL

For removing TV tuner slugs from Standard Coil Tuners. Precision made with hardened steel tips. Comes in 12" and 15" lengths.

No.		List
9096	12" Slug Retriever	\$3.70
9096-D	Display of 12	44.40
9097	15" Slug Retriever	4.95
9097-D	Display of 12	59.40

G-C DUAL NUT STARTER and HEX HEAD SCREW STARTER



Holds and starts hex nuts and screws in hard to get at places.

No.		List
9147	Dual Nut Starter	\$2.50
9147-D	Display of 12	30.00


G-C SCREW STARTER SCREW DRIVER



A screw holding screw driver for starting screws in hard to get at places. Precision made.

No.		List
9148	12" Screw Starter	\$3.50
9148-D	Display of 12	42.00


G-C ROTARY CANOPY SWITCHES




Replacement canopy switch for appliances, lamps, instruments, etc. Has brass knob, 6" leads, 1/32" shank.

No.		List
9204*	Switch	\$0.50
*Standard Carton 10 switches.		


G-C GLOBAL THERMISTORS




G-C No. 9135 KIT
"2 Resistors in Kit"
No. 9135 kit of 2 resistors will take care of 100% replacement of G.E. filament resistors. Also, for Motorola, Sears, Crosley, Hoffman, Tele-tone, and Pathe.
No. 9135 List \$2.40
Glo-Bar Kit
No. 9135-D List 48.00
Display of 20



G-C No. 9214
Resistance
Hot — 20 ohms at 600 M. A. Cold — 250 ohms — no load — Replaces G. E. No. RRW051. Very popular resistor.
No. 9214 List \$1.25
Glo-Bar
No. 9214-D List 27.00
Display of 20




G-C No. 9215
Resistance
Hot — 75 ohms at 300 M. A. Cold — 950 ohms — no load. Replaces G. E. No. RRW041.
No. 9215 List \$1.60
Glo-Bar
No. 9215-D List 32.00
Display of 20



G-C No. 9216
Resistance
Hot — 31 ohms at 300 M. A. Cold — 260 ohms — no load. Replaces G. E. No. RRW097. Popular in all G. E. — 1953 models.
No. 9216 List \$1.40
Glo-Bar
No. 9216-D List 28.00
Display of 20




G-C No. 9217
Resistance
Hot — 35 ohms at 600 M. A. Cold — 460 ohms — no load. Replaces G. E. No. RRW054. Popular G. E. Type Resistor.
No. 9217 List \$1.40
Glo-Bar
No. 9217-D List 28.00
Display of 20



G-C No. 9268
Resistance
Hot — 43 ohms at 600 M. A. Cold — 125 ohms — no load. Replacement for Crosley.
No. 9268 List \$1.70
Glo-Bar
No. 9268-D List 34.00
Display of 20

G-C TV FUSE-SISTORS



G-C 7.5 Ohm TV Fuse-Sistor — Replaces any fuse resistor in series wired, 1955 TV sets.
No. 9207 — 7.5 Ohm Fuse-Sistor List \$ 0.55
9207-D — Display of 50 #9207 List 27.50
G-C 5.6 Ohm TV Fuse-Sistor — Replacement for Raytheon, R.C.A., Arvin, Western Auto, etc.
No. 9276 — 5.6 Ohm Fuse-Sistor List \$ 0.55
No. 9276-D — Display of 50 #9276 List 27.50
G-C 9 Ohm TV Fuse-Sistor — Ideal replacement for Gamble-Skogmo, Firestone, and Raytheon television receivers.
No. 9277 — 9 Ohm Fuse-Sistor List \$ 0.55
No. 9277-D — Display of 50 #9277 List 27.50
G-C 22 Ohm TV Fuse-Sistor — Replacement for Motorola television receivers.
No. 9278 — 22 Ohm Fuse-Sistor List \$ 0.55
No. 9278-D — Display of 50 #9278 List 27.50
G-C Fuse-Sistor Kit — One each of 5.6 Ohm, 7.5 Ohm, 9 Ohm, and 22 Ohm Fuse-Sistor.
No. 9279 — Fuse-Sistor Kit List \$ 2.15
No. 9279-D — Display of 20 Kits List 43.00

G-C REDUCING BUSHINGS



No. List
6751-E 1/4" to 3/8" reduction, 8 in. Env. \$0.45

G-C SHAFT EXTENSIONS



No. List
6755 1/4" x 4 1/2" Long Flat Shaft Ext. \$0.55
6716 1/4" x 4 1/2" Long Round Shaft Ext. .35

G-C PLASTIC HARDWARE ASSORTMENT



Approximately 1000 assorted screws, nuts, washers, springs, clamps, eyelets, grommets, terminals, etc. No cast-offs — only regular hardware. Plastic jar with screw cap.

No. List
6064 1000 Asstd. \$1.80
6056-E Env 100 Asstd. .45

G-C HELL BOX

A grand assortment of useful hardware; screws, nuts, lugs, clips, washers, clamps, etc. Thousands of items needed every day. Metal hinged box.



No. List
6500 \$3.75

G-C DUAL SHEET METAL PUNCH



A quick method for punching accurate holes. Made of tool steel. For hand or power operation. May be used in arbor press. Punches holes 7/8" and 1 3/8".

No. List
9260 — Dual Punch \$ 5.95
9260-D — Display of 12 71.40

G-C PLASTIC CRYSTAL



Unbreakable plastic crystal in flat sheets. Use to replace dials, clocks, dashboard any odd shape difficult to replace with glass.

No. 92 8" x 10" Flat List \$1.25



GENERAL CEMENT

SERVICE AIDS • RADIO KNOBS

G-C BRASS AND INSULATED SPACERS AND BUSHINGS




No. Assortments List
6617 Hardware Lab. Jar 12 Asstd. \$0.85
6760-E Env. 12 Asst. Ins. Spacers .45
6762 15 Asst. Threaded Brass Bushings 6-32 thread, 1/4" to 3/4" long 1.45
6763 15 Asst. Threaded Brass Bushings 8-32 thread, 1/4" to 3/4" long 1.45
6775-E Env. 12 1/4" x 1/4" Ins. Spacers .45
6761-E Env. 12 Asst. Metal Spacers .45

BRASS
No. O.D. Length List
6765 1/4" 1/4" \$0.05
6767 1/4" 1/2" .06
6768 1/4" 3/4" .07
6769 3/8" 1/4" .06
6770 3/8" 1/2" .07
6771 3/8" 3/4" .08

INSULATED
No. O.D. Length List
6775 1/4" 1/4" \$0.04
6776 1/4" 3/8" .05
6777 1/4" 1/2" .05
6778 1/4" 3/4" .08
6779 3/8" 1/4" .05
6780 3/8" 1/2" .06
6781 3/8" 3/4" .07

THREADED BRASS BUSHINGS

No. O.D. Thread Size Length List
6785 1/4" 6-32 1/4" \$0.06
6786 1/4" 6-32 3/8" .08
6787 1/4" 6-32 1/2" .09
6789 1/4" 6-32 3/4" .11
6790 1/4" 8-32 1/4" .06
6791 1/4" 8-32 3/8" .08
6792 1/4" 8-32 1/2" .09
6793 1/4" 8-32 3/4" .11



G-C PLASTIC STOCK BOXES AND TRAYS
Clear Polystyrene boxes for stocking small parts, screws, nuts, bolts, condensers, resistors, etc. Tight fitting covers.

No. List
8022 4" x 4" x 2 1/2" deep \$0.50
8023 4" x 8" x 2 1/2" deep 1.00




G-C PHONO NEEDLE AND STYLUS SET SCREWS

Replacements for all popular types of pick-up arms and recording heads. Specially made, round head, hardened machine screws. 10 sizes.

No. List
1052-E Env. 7 \$0.45
1052 Kit 15 Screws .75

G-C COLOR TV NO-STRETCH DIAL CORD

Especially developed for color TV set manufacturers who demanded a cord that would not stretch. Made of nylon with fibre glass core and specially coated with no-stretch plastic.



EXTRA FINE .025 diameter supplied on metal spools.
No. List
87-25 25 ft. Spool \$1.50
87-25-D 25 ft. Spool \$1.80
87-100 100 ft. Spool \$5.00
87-100-D 100 ft. Spool \$6.00
Display of 12 - 100 ft. \$5.00

STANDARD .028 diameter supplied on metal spools.
No. List
88-25 25 ft. Spool \$1.50
88-25-D 25 ft. Spool \$1.80
88-100 100 ft. Spool \$5.00
88-100-D 100 ft. Spool \$6.00
Display of 12 - 100 ft. \$5.00

MEDIUM .040 diameter supplied on metal spools.
No. List
89-25 25 ft. Spool \$1.50
89-25-D 25 ft. Spool \$1.80
89-100 100 ft. Spool \$5.00
89-100-D 100 ft. Spool \$6.00
Display of 12 - 100 ft. \$5.00

GENERAL



CEMENT

RADIO KNOBS — KITS

MAJESTIC BAKELITE KNOBS



Popular pattern. Set screw type. 7/8" dia., 1/4" shaft.

No. List
1100 Walnut \$0.20
1100-I Ivory .20

ROYAL BAKELITE KNOBS



Beautiful pattern. Set screw type. 7/8" dia., 1/4" shaft.

No. List
1105 Walnut \$0.20
1105-I Ivory .20

YANKEE BAKELITE KNOBS



Set screw type. 3/4" and 1" dia., 1/4" shaft.

No. List
1109 3/4" Walnut \$0.20
1110 1" Walnut \$0.20
1110-I 1" Ivory List \$0.20

G-C TV-RADIO KNOB FELTS



Brown felt washers, prevent scratching and rubbing on cabinet.

No. List
1065-E Env. 50 \$0.45

INSTRUMENT KNOB



Heavy duty knob for communication equipment, instruments. 1 1/4" brass insert, set screw. 1 1/4" O.D. x 3/8".

No. List
1175 Black \$0.55

POPULAR LARGE KNOB



Knurl shaft or set screw types. 1 1/2" diameter. Knurl Shaft Type

No. List
1180 Walnut \$0.13
Set Screw Type
No. List
1181 Walnut \$0.17

MIDGET BAKELITE KNOBS



For small sets. 3/8" dia., 1/4" shaft.

Pointer Type
No. List
1115 Walnut \$0.17
1116 Ivory .17
1117 Red .17
1118 Black .17

MIDGET BAKELITE KNOBS



For small sets. 3/8" dia., set screw 1/4".

Non-Pointer Type
No. List
1111 Walnut \$0.17
1112 Ivory .17
1113 Red .17
1114 Black .17

STREAMLINE POINTERS



The most popular pointer knob. 1/4" shaft, set screw type 1 1/4" long.

No. List
1136 Black \$0.22
1136-W Walnut .22
1137 Red .22
1137-I Ivory .22



A very popular pointer knob. 1/4" shaft, set screw type, 2" long.

No. List
1135 Black \$0.33
1135-W Walnut .33
1138 Red .33
1138-I Ivory .33

MODERN POINTER

BAR KNOBS

BRASS BUSHING



For intercoms and instruments. Black. Set screw, 1/4" shaft, 2 3/4" long.

No. List
1130 Black \$0.47
1130-W Walnut .47



For intercoms and instruments. Black finish. Set screw, 1/4" shaft, 1 1/2" long.

No. List
1131 Black \$0.42
1131-W Walnut .42



GENERAL CEMENT

RADIO • TV KNOBS and KITS



MODERN LARGE KNOB

Knurl shaft or set screw types available. 1 1/8" diameter.

No.	List
1176 — Knurl Shaft Type Walnut	\$0.13
1177 — Set Screw Type Walnut	.17

SPRING AND D-SHAFT KNOBS



Spring type. 3/8" dia. Fits 1/4" flat shafts.

No.	List
1151 Walnut	\$0.13
1152 Ivory	.17

D — or flat shaft type. 3/8" diameter.

MIDGET TYPE PLASTIC KNOB



3/4" dia., 3/8" shank for 1/4" knurled shafts.

No.	List
1157 Walnut	\$0.14
1158 Ivory	.15

MIDGET TYPE PLASTIC KNOB



3/8" diam., 1/2" shank for 1/4" knurled shafts.

No.	List
1197 Walnut	\$0.14
1198 Ivory	.15

G-C FRONT DUAL CONTROL KNOB



Plated gold finish inlay. 1 1/8" O.D. Used with rear knob No. 8533 and others.

No. 8530 List \$0.45
Fits 1/4" Knurl Shaft

No. 8531 List \$0.50
Fits 1/4" Flatted Shaft

No. 8532 List \$0.50
Fits .202" Flatted Shaft

G-C FRONT DUAL BAR CHANNEL KNOB



Push-on type for RCA sets and others. Fits standard 1/4" shaft flatted to .156". Complete with spring.

G-C FRONT KNOB



Push-on type for RCA sets and others; for off-on, volume, etc. Fits 3/8" shaft flat to .156". Complete with spring.

No.	List
8863	\$0.25

STREAMLINE POINTERS



BRASS BUSHING

Brass insert. 3/4" shaft, set screw. 1 1/4" long.

No.	List
1170 Black	\$0.31
1170-W Walnut	.31
1172 Red	.31
1172-I Ivory	.31

MIDGET TYPE PLASTIC KNOB



3/4" dia. flush type for 1/4" knurled shafts.

No.	List
1159 Walnut	\$0.13
1160 Ivory	.15


MIDGET TYPE PLASTIC KNOB



3/8" dia. flush shank for 1/4" knurled shafts.

No.	List
1193 Walnut	\$0.13
1194 Ivory	.15

G-C RADIO KNOB PULLER



Very handy in removing knobs. Simply slip behind knob and pull off. Saves cabinet and knobs.

No.	List
1063	\$0.50

G-C REAR CHANNEL KNOB



Mate to No. 8861 knob. Fits 3/8" shaft flatted to .327". Complete with spring.

No.	List
8862	\$0.45

G-C REAR KNOB



Mate to No. 8863 knob. Fits 17/64" shaft flat to .237". Complete with spring.

No.	List
8864	\$0.45

Brass insert. 1/4" shaft, set screw. 2" long.



No.	List
1171 Black	\$0.46
1171-W Walnut	.46
1173 Red	.46
1173-I Ivory	.46

G-C REAR DUAL CONTROL KNOB



Rear mate to 8530 series knobs. 1 1/8" dia. for standard .265" dia. rear keyway shaft.

No.	List
8533	\$0.28

G-C AUTO RADIO KNOBS



Chrome plated. For 1/4" and 3/8" shafts. Set screw mounting.

No.	List
1169 1/4"	\$0.35
1174 3/8"	.35

G-C CHANNEL INDICATOR PLATE



For sets using Radio Condenser TV tuner, etc. Sparton, Farnsworth, Sonora, Meek, Walnut, gold letters. Matches 8530 series knobs. Fits 3/8" dia. rear flat shaft.

No.	List
8537	\$0.75

G-C FRONT CHANNEL KNOB



Popular front knob used on channel tuners and controls for Motorola, Hallcraft, Stromberg-Carlson, etc., also sets using Chicago Telephone tuner. 3/8" dia. Walnut. Fits .202" dia. flat shaft.

No.	List
8538	\$0.22

G-C TV KNOB SPRINGS



Standard and special replacements for TV-radio knobs.

Type A — Fits small .202" dia. flat shaft	List
No. 8541-E	Env. 10 \$0.45
8541-G	Gross 2.15
Type B — Fits 3/8" dia. flat shaft	List
No. 8542-E	Env. 10 \$0.45
8542-G	Gross 2.60

POPULAR BAR KNOB



For intercoms, instruments, appliances. Bakelite with set screw. 1/4" hole. 1 1/8" long.

No.	List
1132 Walnut	\$0.20

PUSH-ON KNURL KNOB



3/8" dia. flush type for 1/4" knurled shafts.

No.	List
1184 Walnut	\$0.13
1185 Ivory	.13

G-C KNOB SET SCREW ASST.



Handy set screw assortments for radio knobs, shafts, pulleys. 6-32, 8-32, and 10-32.

No.	List
1060 50 Asst.	\$1.10
1061 100 Asst.	2.00
1062-E 15 Asst.	.45
6605 30 Asst.	.85

G-C COMBINATION DUAL KNOB



Front and rear dual dummy type control knob. 1 3/4" dia. Plated gold finish inlay. Fits 1/4" flat shaft.

No.	List
8534	\$0.75

G-C REAR CHANNEL KNOB



Mate to No. 8538 knob. For .265" rear keyway shaft. 1 1/4" dia.

No.	List
8539	\$0.22

POPULAR PLASTIC KNOB



3/8" diameter with 3/8" shank extension for 1/4" knurled shaft.

No.	List
1153 Walnut	\$0.14
1154 Ivory	.15

PUSH-ON KNURL KNOB



3/8" dia., 1/2" shank for 1/4" knurled shafts.

No.	List
1186 Walnut	\$0.13
1187 Ivory	.13

G-C KNOB SPRING KITS



No.	List
1049-E Env. 20 Asst.	\$0.45
No. 1050 List	\$1.10
No. 1051 Kit 35	
No. 1051 List	\$1.95
No. 6619 Kit 100	
Jar 35 Asst.	\$0.85

G-C DUAL TUNER BAR KNOB



Front knob, 2" long bar. Plated gold finish inlay. Used with No. 8536 knob and others. Fits 1/4" dia. flat shaft.

No.	List
8535	\$0.90

G-C COMBINATION DUAL DUMMY KNOB



One-knob combination of No. 8538 and 8539 knobs. For matching cabinet design on single control. 1 1/4" dia. at base. Fits 1/4" knurled shaft.

No.	List
8540	\$0.45

G-C RADIO KNOB KITS

Popular plastic knobs in assorted kits, all kinds.

No.	Quantity	List
1140	35 Asst. Push-on Buttons	\$4.95
1141	28 Asst. Spring Knobs	4.95
1142	24 Asst. Set Screw Knobs	4.95
1143	30 Asst. All Type Knobs	4.95

ATTRACTIVE PLASTIC KNOB



3/8" dia., flush type for 1/4" knurled shafts.

No.	List
1155 Walnut	\$0.13
1156 Ivory	.13

POINTER TYPE PLASTIC KNOB



3/8" dia., 1/2" shank for 1/4" knurled shafts.

No.	List
1188 Walnut	\$0.13
1189 Ivory	.13

G-C KNOB BUSHINGS



Reduce from 1/4" to 3/8". For auto radios.

No.	List
6751 Env. of 8	\$0.45

G-C REAR DUAL TUNER KNOB



Rear knob, used with No. 8535 and others. 1 1/8" dia. Fits standard 3/8" dia. rear flat shaft.

No.	List
8536	\$0.28

G-C TV KNOB SET



Set of above 4 TV knobs, boxed. Brown color.

No.	List
8860 Complete set	\$1.65



IT'S G-C
FOR ALL TV



GENERAL CEMENT SPRA-KOAT PRODUCTS

DE-OX-ID

Electrical contact cleaner for silver, detent and radar contacts. All electric and electronic contacts.

No. 19-6 — 6 oz. De-Ox-Id List \$ 3.50
No. 19-6-D — Case of 12 #19-6 List 42.00

KOLOID K-29 HI VOLTAGE SPRA-KOAT

A clear resin spray where unusually high voltages are encountered. Air dries in a few minutes.

No. 9123 — 12 oz. Koloid K-29 List \$ 2.75
No. 9123-D — Case of 12 #9123 List 33.00

SPRA-KLEEN

Spray onto radio and television contacts and eliminate noise due to dust, dirt and corrosion.

No. 8666 — 6 oz. Spr-Kleen List \$1.20

KOLOID CLEAR ACRYLIC SPRA-KOAT

For insulating TV antennas, terminals, lines, etc. Prevents corrosion, rusting and oxidation on brass, silver chrome.

No. 8665 — 12 oz. Clear Acrylic List \$ 1.79
No. 8665-D — Case of 12 #8665 List 21.48

CORONA DOPE SPRA-KOAT

Used by manufacturers and servicemen to prevent corona shorts on high voltage circuits in TV sets.

No. 47-12 — 12 oz. Corona Dope List \$ 3.25
No. 47-12-D — Case of 12 #47-12 List 39.00

K-27 PRINT-KOTE

Original clear silicone resin as used by manufacturers for printed circuits. Insulates, protects and prevents shorts.

No. 14-6 — 6 oz. Print-Kote List \$ 3.25
No. 14-6-D — Case of 12 #14-6 List 39.00

RUF-KOAT SPRA-KOAT

Air drying wrinkle varnish. Gives a professional looking job. Can also be baked. Comes in black or gray.

No. 60-12 — 12 oz. Black List \$ 2.75
No. 60-12-D — Case of 12 #60-12 List 33.00
No. 60-13 — 12 oz. Gray List 2.75
No. 60-13-D — Case of 12 #60-13 List 33.00



KROME-KOAT SPRA-KOAT

A ready to use fast drying aluminum paint that leaves a beautiful chrome-like finish.

No. 8660 — 12 oz. Aluminum List \$ 1.79
No. 8660-D — Case of 12 #8660 List 21.48

HI-GLOSS ENAMELS SPRA-KOAT

Beautiful high gloss finish that dries fast. Easy to use. Comes in 6 colors.

No. 8754 — 12 oz. Gray List \$ 1.95
No. 8754-D — Case of 12 #8754 List 23.40
No. 8755 — 12 oz. Black List 1.95
No. 8755-D — Case of 12 #8755 List 23.40
No. 8756 — 12 oz. Brown List 1.95
No. 8756-D — Case of 12 #8756 List 23.40
No. 8757 — 12 oz. White List 1.95
No. 8757-D — Case of 12 #8757 List 23.40
No. 8758 — 12 oz. Gold List 1.95
No. 8758-D — Case of 12 #8758 List 23.40
No. 8759 — 12 oz. Copper-tone List 1.95
No. 8759-D — Case of 12 #8759 List 23.40

WROUGHT-IRON BLACK SPRA-KOAT

Renew and modernize TV stands, iron furniture, metal objects. Air dries to a flat, black finish.

No. 9112 — 12 oz. Wrought Iron Black List \$ 1.95
No. 9112-D — Case of 12 #9112 List 23.40

HAMMER-KOAT SPRA-KOAT

For a professional looking hammer finish in easy to use Spr-Koat. Air dries in a few minutes. 3 colors.

No. 83-12 — 12 oz. Brown Hammer List \$ 2.75
No. 83-12-D — Case of 12 #83-12 List 33.00
No. 84-12 — 12 oz. Blue Hammer List 2.75
No. 84-12-D — Case of 12 #84-12 List 33.00
No. 85-12 — 12 oz. Silver Hammer List 2.75
No. 85-12-D — Case of 12 #85-12 List 33.00

TELEPHONE BLACK and GRAY SPRA-KOAT

A satin finish enamel that dries fast. Excellent for panel work, instrument finish, etc.

No. 62-12 — 12 oz. Black List \$ 2.75
No. 62-12-D — Case of 12 #62-12 List 33.00
No. 62-13 — 12 oz. Gray List 2.75
No. 62-13-D — Case of 12 #62-13 List 33.00

TOUCH-UP VARNISH SPRA-KOAT

Fast drying varnish stain that covers nicks and scratches. Easy to apply. Mahogany or Walnut.


No. 161-3 — 12 oz. Mahogany List \$ 2.75
No. 161-3-D — Case of 12 #161-3 List 33.00
No. 161-5 — 12 oz. Walnut List 2.75
No. 161-5-D — Case of 12 #161-5 List 33.00

APPLIANCE WHITE SPRA-KOAT

A white glossy factory like finish for refrigerators, washers, dryers, ranges, etc. Dries fast.

No. 9113 — 12 oz. Appliance White List \$ 1.95
No. 9113-D — Case of 12 #9113 List 23.40

GENERAL CEMENT NEW 50 LINE PACKAGES



Many G-C accessories such as pilot light sockets, auto radio hardware, plugs, jacks, etc., are available in the famous G-C 50-Line package. Complete assortment listed below. All one price

LIST **50¢** PER PACKAGE

PART	QUAN.	DESCRIPTION
H-1740	3	Auto Antenna Plugs
H-1741	2	Antenna Connector Jack
H-1744	3	Extension Jack and Connector
H-1745	1	Motorola Lead Adapter
H-1746	4	Adapter Shell
H-1747	2	Antenna Connector
H-1748	2	Jumbo Fuse Holders
H-1749	2	Auto Fuse Connectors
H-5060	2	Solderless Test Prod Tips
H-5061	2	Red Test Prod Tips
H-5062	2	Black Test Prod Tips
H-5063	4	Alligator Clips
H-5064	2	Red Ins. Alligator Clips
H-5065	2	Black Ins. Alligator Clips
H-6321	8	Standard Phone Pins—Solid
H-7702	2	Threaded Phono Needle Test Prod Chuck
H-7703	2	Push-on Phono Needle Test Prod Chuck
H-7706	3	Heavy Duty Phone Tip Plug
H-7710	2	Red Insulated Phone Tip Jack
H-7711	2	Black Insulated Phone Tip Jack
H-7712	2	Red Insulated Spade Lug
H-7713	2	Black Insulated Spade Lug
H-7714	3	Phono Tip Jacks

PART	QUAN.	DESCRIPTION
H-7715	2	Red Insulated Phone Tip Jacks
H-7716	2	Black Insulated Phone Tip Jacks
H-7725	1	Black Ins. Combination Jack and Binding Post
H-7726	1	Black Ins. Combination Jack and Binding Post
H-7730	1	Red Ins. Solderless Split Banana Plugs
H-7731	1	Black Ins. Solderless Split Banana Plugs
H-7732	2	Red Ins. Split Banana Plugs
H-7733	2	Black Ins. Split Banana Plugs
H-7736	2	Threaded Split Banana Plug
H-7737	2	Lug Type Banana Plug
H-7740	3	Banana Jack
H-7741	2	Red Ins. Banana Jack
H-7742	2	Black Ins. Banana Jack
H-7744	1	Red Ins. Combination Banana Phone Tip Jack
H-7745	1	Black Ins. Combination Banana and Phone Tip Jack
H-7746	1	Red Insulated Banana Plug Splice
H-7747	1	Black Insulated Banana Plug Splice
H-7748	1	Red Banana Plug with Tip Jack
H-7749	1	Black Banana Plug with Tip Jack


PART	QUAN.	DESCRIPTION
H-7750	2	Black Ins. Set Screw Alligator Clip
H-7751	2	Red Ins. Set Screw Alligator Clip
H-7752	2	Screw Type Alligator Clip
H-7922	2	Miniature Bayonet Clip on Sockets —Clip Up
H-7923	2	Miniature Bayonet Clip On Sockets —Clip Down
H-7927	3	Min. Screw Type Bracket Sockets —Bracket Down
H-7928	2	Min. Bayonet Bracket Socket —Bracket Up
H-7929	2	Min. Bayonet Bracket Socket —Bracket Down
H-7932	3	Miniature Screw Base Socket
H-7933	3	Miniature Bayonet Base Socket
H-8149	1	Red Test Lead Angle Tip
H-8150	1	Black Test Lead Angle Tip
H-8994	1	Red Insulated Spring Type Banana Plug
H-8995	1	Black Insulated Spring Type Banana Plug
H-8996	2	Red Insulated Banana Plug
H-8997	2	Black Insulated Banana Plug
H-8998	2	Threaded Banana Plug
H-8999	2	Lug Type Banana Plug



RADIO HARDWARE IN GLASS JARS

G-C RADIO HARDWARE IN GLASS JARS

G-C Hardware Laboratory



FREE STEEL RACK
(With No. 6601 or No. 6604 Assts.)

Hardware in glass jars is convenient for the workshop or laboratory. Supplied in modern clear glass jars with a wide mouth opening. All hardware is labelled for easy identification.

Two assortments of hardware — one a 40-jar assortment, the other a 20-jar assortment — are available. Supplied from the jars of hardware listed below.

No. 6601 Hardware Rack Asst. (20 Jars) . \$17.00
Contains Jars 6605 thru 6624

No. 6604 Hardware Rack Asst. (40 Jars) . 34.00
Contains Jars 6605 thru 6644

THE HEAVY STEEL RACK IS FREE

A Complete Assortment of Hardware in Glass Jars

No.	Quantity	List Price
ROUND HEAD MACHINE SCREWS		
6610	75 Assorted 4-36 and 6-32 Screws	.85
6611	60 Assorted 8-32 and 10-32 Screws	.85
6005	100 4-36 x 1/4"	.85
6006	100 4-36 x 1/2"	.85
6007	80 4-36 x 3/4"	.85
6005-A	100 4-40 x 1/4"	.85
6005-B	100 4-40 x 1/2"	.85
6005-C	80 4-40 x 3/4"	.85
6008	90 6-32 x 1/4"	.85
6009	85 6-32 x 1/2"	.85
6010	75 6-32 x 3/4"	.85
6011	50 6-32 x 1"	.85
6014	70 8-32 x 3/8"	.85
6015	65 8-32 x 1/2"	.85
6016	60 8-32 x 3/4"	.85
6017	45 8-32 x 1"	.85
6020	60 10-32 x 1/2"	.85
6021	50 10-32 x 3/4"	.85
6022	35 10-32 x 1"	.85

OVAL HEAD RACK and CABINET SCREWS		
6628	45 Asstd. Rack Screws and Cup Washers	.85
6541	50 6-32 x 3/4"	.85
6542	45 8-32 x 3/4"	.85
6543	45 10-32 x 3/4"	.85

ORNAMENTAL HEAD SCREWS		
6631	50 Asstd. Ornamental Head Screws	.85
WOOD SCREWS		
6633	45 Asstd. Wood Screws	.85
6114	45 No. 4 x 1/2"	.85
6115	40 No. 4 x 3/4"	.85
6116	40 No. 6 x 3/4"	.85
6117	35 No. 6 x 1"	.85
6118	35 No. 8 x 3/4"	.85

SHEET METAL SCREWS		
6608	50 Asstd. No. 4 & No. 6	.85
6609	45 Asstd. No. 8 & No. 10	.85
6090	50 No. 4 x 1/2"	.85
6091	50 No. 6 x 1/4"	.85
6092	50 No. 6 x 3/8"	.85
6093	50 No. 6 x 1/2"	.85
6094	50 No. 6 x 3/4"	.85
6095	50 No. 8 x 3/8"	.85
6096	45 No. 8 x 1/2"	.85
6097	40 No. 8 x 1"	.85
6098	40 No. 10 x 3/8"	.85
6099	40 No. 10 x 1/2"	.85
6100	35 No. 10 x 3/4"	.85

ESCUTCHEON PLATE SCREWS		
6632	50 Asstd. Escutcheon Screws	.85

MOUNTING NUTS		
6615	25 Asstd. Mounting Nuts	.85

No.	Quantity	List Price
RADIO KNOB SET SCREWS		
6605	30 Asstd. Set Screws	.85
6071	30 6-32 x 1/8"	.85
6072	30 6-32 x 1/4"	.85
6073	30 6-32 x 1/2"	.85
6074	30 8-32 x 1/4"	.85
6075	30 8-32 x 1/2"	.85
6076	30 8-32 x 3/4"	.85
6077	30 10-32 x 1/2"	.85
6078	30 10-32 x 3/4"	.85
6079	30 10-32 x 1"	.85

HEXAGON NUTS		
6606	60 Asstd. 4-36 & 6-32	.85
6607	60 Asstd. 8-32 & 10-32	.85
	Thread Width Thick.	
6045	80 4-36 x 1/4" x 3/8"	.85
6041-A	80 4-40 x 1/4" x 3/8"	.85
6045-B	75 5-40 x 1/4" x 3/8"	.85
6046	75 6-32 x 1/4" x 3/8"	.85
6047	60 8-32 x 1/4" x 3/8"	.85
6048	50 10-32 x 3/8" x 1"	.85

CUP FINISHING WASHERS		
6628	45 Asstd. Screws and Washers	.85
6161	65 No. 6 Cup Washer	.85
6162	65 No. 8 Cup Washer	.85
6163	65 No. 10 Cup Washer	.85

C-WASHERS and RETAINING RINGS		
6636	85 Asstd. C-Washers	.85
	Shaft Diam. A B C D	
6182	65 3/8" .171 .125 .062 .031	.85
6183	65 1/4" .234 .156 .046 .031	.85
6184	65 1/4" .260 .187 .062 .031	.85

COTTER PINS		
6642	90 Asstd. Cotter Pins	.85

HAIR PIN COTTERS		
6637	75 Asstd. Hair Pin Cotters	.85


FLAT FIBRE WASHERS		
6634	85 Asstd. Flat Fibre Washers	.85
	Screw Size I.D. O.D. Thick-ness	
6513	100 No. 6 .136" 1/4" 3/8"	.85
6514	100 No. 8 .119" 3/8" 1/2"	.85
6515	80 No. 10 .196" 3/8" 1/2"	.85
6516	80 1/4" 1/4" 1/2" 3/4"	.85
6517	70 3/8" 3/8" 1/2" 3/4"	.85

EXTRUDED FIBRE WASHERS		
6525	65 A B C D 1/8" .187 .140 .039	.85
	(For No. 6 Screw)	
6526	65 3/8" .250 .169 .031	.85
	(For No. 8 Screw)	
6527	65 1/2" .255 .196 .032	.85
	(For No. 10 Screw)	
6528	50 1/2" .375 .250 .032	.85
	(For 1/4" Shaft)	
6529	50 5/8" .437 .380 .031	.85
	(For 3/8" Shaft)	

**only
85c
per jar**



No.	Quantity	List Price
SNAP-IN TRIMOUNTS		
6620	45 Asstd. Trimounts	.85
DIAL CORD CLIPS		
6621	75 Asstd. Dial Cable Clips	.85
SOLDERING LUGS		
6618	75 Asstd. Soldering Lugs	.85
CABLE HOLDER CLAMPS		
6644	40 Asstd. Cable Clamps	.85
6251	40 Cable Fit, 1/8" to 3/4"	.85
6252	40 Cable Fit, 1/8" to 1/4"	.85
METAL WASHERS		
6612	135 Asstd. No. 4 & No. 6	.85
6613	100 Asstd. No. 8 & No. 10	.85
	Screw Hole Thick-Size Size O.D. ness.	
6154	150 No. 4 1/8" 3/8" 3/8"	.85
6155	125 No. 6 3/8" 3/8" 3/8"	.85
6156	100 No. 8 1/2" 1/2" 1/2"	.85
6157	100 No. 10 1 1/2" 1 1/2" .049"	.85
LOCK WASHERS		
INTERNAL LOCK WASHERS		
6614	90 Asstd. Lock Washers, All Types	.85
6508	50 No. 3/8" 1 1/2" O.D.	.85
SPLIT TYPE LOCK WASHERS		
	Screw Size O.D. Thickness	
6503	100 No. 4 1/8" 3/8"	.85
6504	100 No. 6 3/8" 3/8"	.85
6505	90 No. 8 1/2" .025"	.85
6506	90 No. 10 1 1/2" .030"	.85
6507	80 No. 1/4" 1/8"	.85
MISCELLANEOUS		
6616	15 Asstd. Dial Springs	.85
6617	12 Asstd. Bushings & Spacers	.85
6619	35 Asstd. Knob Springs	.85
6622	85 Asstd. Rivets & Eyelets	.85
6623	60 1/2" Felt Pads	.85
6624	18 3/8" Rubber Tack Bumpers	.85
6625	25 Asstd. Large Rubber Grommets	.85
6626	25 Asstd. Soft Rubber Grommets	.85
6627	18 Asstd. Acorn Nuts	.85
6629	30 Asstd. Phone Tips	.85
6630	60 Asstd. Tinnerman Speed Nuts	.85
6635	25 Asstd. Grid Caps	.85
6638	12 Asstd. Dial Pulleys	.85
6639	30 Asstd. Fahnestock Clips	.85
6640	50 Asstd. Dust Felts	.85
6641	70 Knob Felts	.85
6643	30 Asstd. Small Comp Springs	.85



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. Quantity In Box Part No. List Price Per 100 Part No. List Price Per 144 Part No. List Price Per 1000 Pcs.



G-C ROUND HEAD MACHINE SCREWS STEEL - NICKEL PLATED



Assorted Machine Screws	H1000-F	35				
Assorted Screws and Nuts	H1001-F	40				
Assorted No. 2 and No. 4 Screws and Nuts	H1002-F	35				
Assorted 4-36 Screws	H1010-F	40				
Assorted 6-32 Screws	H1012-F	40				
Assorted 8-32 Screws	H1016-F	40				
Assorted 10-32 Screws	H1018-F	25				
Machine Screws, 2-56 x 1/4"	H1022-F	40	7130-C	.50	7130-G	.75 7130-M 4.35
Machine Screws, 2-56 x 1/2"	H1024-F	40	7131-C	.55	7131-G	.80 7131-M 4.70
Machine Screws, 2-56 x 3/4"	H1026-F	40	7132-C	.65	7132-G	.90 7132-M 5.45
Machine Screws, 3-48 x 3/4"	H1028-F	40	7124-C	.65	7124-G	.95 7124-M 5.60
Machine Screws, 4-36 x 1/4"	H1032-F	40	6005-C	.55	6005-G	.80 6005-M 4.70
Machine Screws, 4-36 x 3/8"	H1033-F	35	7138-C	.60	7138-G	.85 7138-M 4.90
Machine Screws, 4-36 x 1/2"	H1034-F	35	6006-C	.60	6006-G	.90 6006-M 5.20
Machine Screws, 4-36 x 3/4"	H1036-F	35	6007-C	.70	6007-G	1.00 6007-M 6.00
Machine Screws, 4-40 x 1/4"	H1042-F	40	6005-AC	.55	6005-AG	.80 6005-AM 4.70
Machine Screws, 4-40 x 1/2"	H1044-F	35	6005-BC	.60	6005-BG	.85 6005-BM 5.20
Machine Screws, 4-40 x 3/4"	H1046-F	35	6005-CC	.70	6005-CG	1.00 6005-CM 6.00
Machine Screws, 6-32 x 1/4"	H1062-F	40	6008-C	.60	6008-G	.90 6008-M 5.25
Machine Screws, 6-32 x 1/2"	H1064-F	30	6009-C	.70	6009-G	1.05 6009-M 6.10
Machine Screws, 6-32 x 3/4"	H1066-F	30	6010-C	.80	6010-G	1.20 6010-M 7.00
Machine Screws, 6-32 x 1"	H1068-F	30	6011-C	.90	6011-G	1.40 6011-M 7.95
Machine Screws, 6-32 x 1 1/4"	H1070-F	30	7141-C	1.10	7141-G	1.70 7141-M 9.45
Machine Screws, 6-32 x 2" (Extra long, handy to mount rectifiers)	H1076-F	20	7148-C	1.65	7148-G	2.55 7148-M 14.35
Machine Screws, 8-32 x 1/4"	H1082-F	30	6013-C	.80	6013-G	1.15 6013-M 6.70
Machine Screws, 8-32 x 3/8"	H1083-F	25	6014-C	.85	6014-G	1.25 6014-M 7.20
Machine Screws, 8-32 x 1/2"	H1084-F	25	6015-C	.90	6015-G	1.35 6015-M 7.65
Machine Screws, 8-32 x 3/4"	H1086-F	25	6016-C	1.05	6016-G	1.60 6016-M 8.85
Machine Screws, 8-32 x 1"	H1088-F	20	6017-C	1.20	6017-G	1.85 6017-M 10.20
Machine Screws, 8-32 x 1 1/4"	H1090-F	20	7142-C	1.35	7142-G	2.10 7142-M 11.85
Machine Screws, 10-32 x 1/2"	H1104-F	20	6020-C	1.05	6020-G	1.60 6020-M 9.10
Machine Screws, 10-32 x 3/4"	H1106-F	20	6021-C	1.25	6021-G	1.90 6021-M 10.65
Machine Screws, 10-32 x 1"	H1108-F	17	6022-C	1.40	6022-G	2.15 6022-M 12.10
Machine Screws, 10-32 x 1 1/2"	H1112-F	15	7143-C	1.85	7143-G	2.85 7143-M 15.90
Machine Screws, 1/4-20 x 1/2"			7144-C	1.75	7144-G	2.70 7144-M 15.30
Machine Screws, 1/4-20 x 3/4"			8061-C	2.05	8061-G	3.15 8061-M 17.70
Machine Screws, 1/4-20 x 1"			8062-C	2.30	8062-G	3.60 8062-M 20.15
Machine Screws, 1/4-20 x 1 1/4"			7145-C	2.60	7145-G	4.10 7145-M 22.75
Machine Screws, 1/4-20 x 1 3/4"			8521-C	3.25	8521-G	5.05 8521-M 28.40
Machine Screws, 1/4-20 x 2 1/2"			7146-C	4.45	7146-G	6.90 7146-M 38.90




G-C ROUND HEAD MACHINE SCREWS BRASS - NOT PLATED



Assorted Brass Machine Screws	H1210-F	30				
Machine Screws, Brass, 6-32 x 1/4"			8501-C	.96	8501-G	1.40 8501-M 8.35
Machine Screws, Brass, 6-32 x 1/2"			8502-C	1.25	8502-G	1.85 8502-M 11.00
Machine Screws, Brass, 6-32 x 3/4"			8503-C	1.51	8503-G	2.20 8503-M 13.25
Machine Screws, Brass, 6-32 x 1"			8504-C	1.80	8504-G	2.65 8504-M 15.80
Machine Screws, Brass, 8-32 x 1/4"			8505-C	1.38	8505-G	2.00 8505-M 12.10
Machine Screws, Brass, 8-32 x 1/2"			8506-C	1.75	8506-G	2.55 8506-M 15.35
Machine Screws, Brass, 8-32 x 3/4"			8507-C	2.70	8507-G	4.15 8507-M 24.80
Machine Screws, Brass, 8-32 x 1"			8508-C	2.60	8508-G	3.75 8508-M 22.60



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No.

In Box
Quantity

Part No.

List Price
Per 100

Part No.


List Price
Per 144

Part No.

List Price Per
1000 Pcs.



G-C PHILLIPS TYPE ROUND HEAD MACHINE SCREWS STEEL - NICKEL PLATED



Assorted Phillips Type Machine Screws	H1180-F	25				
Machine Screws, Phillips, 6-32 x 1/4"			8511-C	.95	8511-G	1.40
Machine Screws, Phillips, 6-32 x 1/2"			8512-C	1.05	8512-G	1.60
Machine Screws, Phillips, 6-32 x 3/4"			8513-C	1.20	8513-G	1.80
Machine Screws, Phillips, 6-32 x 1"			8514-C	1.35	8514-G	2.00
Machine Screws, Phillips, 8-32 x 3/16"			8515-C	1.00	8515-G	1.55
Machine Screws, Phillips, 8-32 x 1/2"			8516-C	1.15	8516-G	1.70
Machine Screws, Phillips, 8-32 x 3/4"			8517-C	1.30	8517-G	2.00
Machine Screws, Phillips, 8-32 x 1"			8518-C	1.50	8518-G	2.30
					8511-M	8.55
					8512-M	9.55
					8513-M	10.90
					8514-M	12.15
					8515-M	9.30
					8516-M	10.30
					8517-M	11.90
					8518-M	13.70



G-C BINDING HEAD MACHINE SCREWS STEEL - NICKEL PLATED



Assorted Binding Head Machine Screws	H1168-F	35				
Machine Screws, 5-36 x 1/4" (Used on many small toggle switches)	H1170-F	35	7154-C	.85	7154-G	1.30
Machine Screws, 6-32 x 3/16"			7151-C	.60	7151-G	.85
Machine Screws, 6-32 x 1/4"	H1172-F	35	7152-C	.60	7152-G	.85
Machine Screws, 6-32 x 3/8"			7153-C	.60	7153-G	.90
Machine Screws, 7-32 x 3/8" (Popular in electrical switches)	H1174-F	30	7155-C	1.65	7155-G	2.50
Machine Screws, 8-32 x 3/4"			7158-C	.80	7158-G	1.15
					7154-M	5.10
					7151-M	5.10
					7152-M	5.15
					7153-M	5.45
					7155-M	15.15
					7158-M	6.95



G-C OVAL HEAD RACK and CABINET SCREWS STEEL - NICKEL PLATED



Assorted Rack Screws and Washers	H1005-F	15				
Machine Screws, 6-32 x 1/2"			6540-C	.70	6540-G	1.00
Machine Screws, 6-32 x 3/4"	H1266-F	30	6541-C	.80	6541-G	1.15
Machine Screws, 8-32 x 3/4"	H1270-F	25	6542-C	1.00	6542-G	1.45
Machine Screws, 10-32 x 1/2"			8848-C	1.05	8848-G	1.50
Machine Screws, 10-32 x 3/4"	H1273-F	20	6543-C	1.20	6543-G	1.75
					6540-M	6.10
					6541-M	7.00
					6542-M	8.85
					8848-M	9.10
					6543-M	10.65




G-C ORNAMENTAL HEAD SCREWS STEEL - STATUARY BRONZE PLATED



Assorted Ornamental Head Screws	H1250-F	20				
Ornamental Head Screws, 6-32 x 3/4"	H1252-F	25	1097-C	1.20	1097-G	1.70
Ornamental Head Screws, 6-32 x 1"	H1253-F	20	1098-C	1.30	1098-G	1.90
Ornamental Head Screws, 8-32 x 1 1/4"	H1255-F	12	1099-C	1.75	1099-G	2.60
					1097-M	10.35
					1098-M	11.30
					1099-M	15.45



G-C WOOD SCREWS ROUND HEAD - STEEL - NICKEL PLATED




Assorted Wood Screws	H1502-F	25				
Wood Screws, No. 4 x 1/2"			6114-C	1.20	6114-G	1.80
Wood Screws, No. 4 x 3/4"			6115-C	1.30	6115-G	1.95
Wood Screws, No. 6 x 3/4"			6116-C	1.35	6116-G	2.05
Wood Screws, No. 6 x 1"			6117-C	1.60	6117-G	2.40
Wood Screws, No. 8 x 3/4"			6118-C	1.55	6118-G	2.35
Wood Screws, No. 8 x 1 1/4"			8071-C	1.95	8071-G	2.95
Wood Screws, No. 10 x 1 1/2"			8073-C	2.55	8073-G	3.85
Wood Screws, No. 12 x 1 1/2"			8075-C	3.05	8075-G	4.60
Wood Screws, No. 14 x 1 3/4"			8076-C	4.35	8076-G	6.55
					6114-M	10.95
					6115-M	11.90
					6116-M	12.35
					6117-M	14.55
					6118-M	14.10
					8071-M	17.75
					8073-M	23.10
					8075-M	27.65
					8076-M	39.35



G-C SPADE BOLTS or MOUNTING SCREWS STEEL - NICKEL PLATED



Assorted Spade Bolts	H1570-F	15				
A	B	C	D	E		
6-32	No. 6	3/32"	1/16"	3/16"	6081-C	1.65
6-32	No. 6	1/32"	7/64"	1/4"	6082-C	2.35
8-32	No. 8	7/64"	1/32"	1/8"	6084-C	4.10
					6081-G	2.45
					6082-G	3.55
					6084-G	6.15
					6081-M	14.85
					6082-M	21.25
					6084-M	37.15



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display 10 Boxes
List Price **50c**
Per Box

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. Quantity
in Box

Part No. List Price
Per 100

Part No. List Price
Per 144

Part No. List Price Per
1000 Pcs.

G-C SHEET METAL SCREWS

HEX HEAD - SLOTTED - SELF-TAPPING - NICKEL PLATED
POINTED TYPE "A"



Assorted Sheet Metal Screws	H1300-F	25				
Assorted No. 4 and No. 6 Sheet Metal Screws						
Assorted No. 8 and No. 10 Sheet Metal Screws						
Sheet Metal Screws, No. 4 x 1/2"	H1350-F	35	6090-C 1.00	6090-G 1.55	6090-M 9.35	
Sheet Metal Screws, No. 6 x 1/4"	H1362-F	30	6091-C 1.00	6091-G 1.55	6091-M 9.35	
Sheet Metal Screws, No. 6 x 3/8"	H1363-F	25	6092-C 1.10	6092-G 1.60	6092-M 9.80	
Sheet Metal Screws, No. 6 x 1/2"	H1364-F	25	6093-C 1.15	6093-G 1.70	6093-M 10.35	
Sheet Metal Screws, No. 6 x 3/4"	H1366-F	20	6094-C 1.40	6094-G 2.10	6094-M 12.65	
Sheet Metal Screws, No. 8 x 1/4" (Auto Radio Size)	H1382-F	20	8102-C 1.20	8102-G 1.85	8102-M 11.25	
Sheet Metal Screws, No. 8 x 3/8"	H1383-F	20	6095-C 1.25	6095-G 1.95	6095-M 11.75	
Sheet Metal Screws, No. 8 x 1/2"	H1384-F	20	6096-C 1.25	6096-G 1.90	6096-M 11.35	
Sheet Metal Screws, No. 8 x 1"	H1388-F	15	6097-C 1.70	6097-G 2.55	6097-M 15.40	
Sheet Metal Screws, No. 10 x 3/8"	H1403-F	15	6098-C 1.50	6098-G 2.25	6098-M 13.85	
Sheet Metal Screws, No. 10 x 1/2"	H1404-F	15	6099-C 1.85	6099-G 2.80	6099-M 16.90	
Sheet Metal Screws, No. 10 x 3/4"	H1406-F	12	6100-C 2.35	6100-G 3.55	6100-M 21.35	

G-C ESCUTCHEON PLATE SCREWS

ROUND HEAD - SLOTTED - STATUARY BRONZE PLATED



Assorted Escutcheon Screws	H1500-F	25			
Escutcheon Screws, No. 2 x 1/4"			1091-C 1.05	1091-G 1.60	1091-M 9.50
Escutcheon Screws, No. 2 x 3/8"			1093-C 1.10	1093-G 1.65	1093-M 10.00

G-C RADIO KNOB SET SCREWS

SLOTTED - HEADLESS - HARDENED STEEL



CUP POINT Is Standard

No. 1060 Kit 50 Asst. Set Screws	List Price \$1.10				
No. 1061 Kit 100 Asst. Set Screws	List Price \$2.00				
Assorted Set Screws	H1605-F	15			
Assorted Set Screws, 6-32					
Assorted Set Screws, 8-32					
Assorted Set Screws, 10-32					
Set Screws, 6-32 x 1/8"			6071-C 1.75	6071-G 2.55	6071-M 15.35
Set Screws, 6-32 x 3/16"	H1623-F	15	6072-C 1.75	6072-G 2.55	6072-M 15.35
Set Screws, 6-32 x 1/4"			6073-C 1.75	6073-G 2.55	6073-M 15.35
Set Screws, 8-32 x 1/8"			6074-C 1.75	6074-G 2.55	6074-M 15.35
Set Screws, 8-32 x 3/16"	H1633-F	15	6075-C 1.75	6075-G 2.55	6075-M 15.35
Set Screws, 8-32 x 1/4"	H1634-F	15	6076-C 1.75	6076-G 2.55	6076-M 15.35
Set Screws, 8-32 x 1/2"			6077-C 1.75	6077-G 2.55	6077-M 15.35
Set Screws, 10-32 x 3/16"			6078-C 1.75	6078-G 2.55	6078-M 15.35
Set Screws, 10-32 x 1/4"	H1644-F	15	6079-C 1.75	6079-G 2.55	6079-M 15.35

G-C BRISTO SET SCREWS


HARDENED STEEL - SPLINE TYPE - HEADLESS



Bristo Set Screws, 6-32 x 3/16"		7182-C 8.00	7182-G 11.65	7182-M 69.85
Bristo Set Screws, 8-32 x 1/8"		7186-C 8.00	7186-G 11.65	7186-M 69.85
Bristo Set Screws, 8-32 x 3/16"		7187-C 8.00	7187-G 11.65	7187-M 69.85



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No.

Quantity
In Box

Part No.

List Price
Per 100

Part No.

List Price
Per 144

Part No.


List Price Per
1000 Pcs.



G-C ALLEN HEX SET SCREWS STEEL - HARDENED - HEADLESS



Assorted Lengths, 4-36	H1674-F	5				
Assorted Lengths, 6-32	H1676-F	5				
Assorted Lengths, 8-32	H1678-F	5				
Hex Set Screws, 4-36 x 1/8"			7191-C	8.20	7191-G	12.10
Hex Set Screws, 6-32 x 1/8"			7196-C	8.20	7196-G	12.10
Hex Set Screws, 6-32 x 3/16"			7197-C	8.20	7197-G	12.10
Hex Set Screws, 8-32 x 1/8"			7201-C	8.20	7201-G	12.10
Hex Set Screws, 8-32 x 3/16"			7202-C	8.20	7202-G	12.10
					7191-M	72.00
					7196-M	72.00
					7197-M	72.00
					7201-M	72.00
					7202-M	72.00



G-C PHONOGRAPH NEEDLE and STYLUS SET SCREWS STEEL - BRONZE PLATED



No. 1052 Asst., 15 in Box	List Price \$.75				
Assorted Phono Needle Screws		H1550-F	12		
No. 1053 Asst., 100 in Box	List Price \$12.25	H1551-F	12		
Phono Needle Screws, 2-56 x 3/16"		H1553-F	12	P1-C	.75
Phono Needle Screws, 2-64 x 3/4"				P2-C	3.00
Phono Needle Screws, 1-56 x 3/4"				P3-C	4.30
Phono Needle Screws, 1-64 x 1"				P4-C	4.00
Phono Needle Screws, 1-72 x 3/32"				P5-C	2.00
Phono Needle Screws, 1-72 x 3/32"		H1555-F	5	P6-C	1.95
Phono Needle Screws, 0-64 x 3/32"				P7-C	7.60
Phono Needle Screws, 4-48 x 3/32"				P8-C	3.05
Phone Needle Screws, 2-64 x 3/32"				P9-C	4.95
Phono Needle Screws, 1-64 x 3/4"				P10-C	2.95
				P1-G	1.15
				P2-G	4.55
				P3-G	6.45
				P4-G	6.05
				P5-G	3.05
				P6-G	2.95
				P7-G	11.55
				P8-G	4.60
				P9-G	7.50
				P10-G	4.50
				P1-M	7.05
				P2-M	27.20
				P3-M	38.85
				P4-M	36.45
				P5-M	18.35
				P6-M	17.75
				P7-M	69.35
				P8-M	27.75
				P9-M	45.05
				P10-M	27.15



PHONO CARTRIDGE MOUNTING SCREWS STEEL - NICKEL PLATED




Assorted Cartridge Mounting Screws	H1560-F	60				
Cartridge Screws, 4-36 x 1/4"	H1562-F	40	6005-IC	.55	6005-G	.80
Cartridge Screws, 4-40 x 1/4"	H1564-F	40	6005-AC	.55	6005-AG	.80
					6005-M	4.70
					6005-AM	4.70



G-C HEXAGON NUTS STEEL - NICKEL PLATED



Assorted Hex Nuts			H1800-F	30						
Thread	Width	Thickness								
2-56	3/16"	1/16"	H1802-F	30	7225-C	.75	7225-G	1.10	7225-M	6.70
3-48	3/16"	1/16"	H1803-F	30	7226-C	.75	7226-G	1.10	7226-M	6.70
4-36	1/4"	3/32"	H1805-F	30	6041-C	.75	6041-G	1.10	6041-M	6.40
4-40	1/4"	3/32"	H1804-F	30	6041-AC	.75	6041-AG	1.10	6041-AM	6.40
5-40	5/16"	7/64"			6045-BC	.80	6045-BG	1.15	6045-BM	7.05
6-32	1/4"	3/32"	H1806-F	30	6042-C	.75	6042-G	1.10	6042-M	6.70
6-32	5/16"	7/64"	H1807-F	30	7230-C	.80	7230-G	1.15	7230-M	7.05
8-32	1/4"	3/32"	H1808-F	30	6043-C	.80	6043-G	1.20	6043-M	7.10
8-32	11/32"	1/8"	H1809-F	30	7233-C	.80	7233-G	1.20	7233-M	7.10
10-32	3/8"	5/64"	H1810-F	30	6044-C	1.00	6044-G	1.55	6044-M	9.30
10-32	3/8"	1/8"			6049-C	.95	6049-G	1.40	6049-M	8.45
1/4-20	3/16"	3/16"	H1820-F	25	7235-C	1.50	7235-G	2.15	7235-M	12.85
11/32-32	3/16"	1/16"			7236-C	3.00	7236-G	4.50	7236-M	27.05
3/8-32	5/16"	3/32"	H1923-F	15	6050-AC	2.45	6050-AG	3.55	6050-AM	21.40
7/16-27	5/16"	1/8"	H1924-F	10	7238-C	4.95	7238-G	7.50	7238-M	44.70
15/32-32	3/8"	5/64"			6050-BC	3.35	6050-BG	5.05	6050-BM	30.45



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

**HINGED COVER
PLASTIC BOXES**
50-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

**HUNDRED PAC
IN PLASTIC
ENVELOPES**
Handy Envelope
of 100 Units

**BOXES OF
144**
(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

**BULK
HARDWARE**
(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. Quantity In Box.

Part No. List Price Per 100

Part No. List Price Per 144

Part No. List Price Per 1000 Pcs.



G-C BRASS HEXAGON NUTS NOT PLATED



Thread	Width	Thickness							
2-56	$\frac{3}{16}$ "	$\frac{1}{16}$ "			7241-C	1.05	7241-G	1.60	7241-M 9.50
3-48	$\frac{3}{16}$ "	$\frac{1}{16}$ "			7242-C	1.05	7242-G	1.60	7242-M 9.50
4-36	$\frac{1}{4}$ "	$\frac{3}{32}$ "	H1842-F	35	7243-C	1.25	7243-G	1.90	7243-M 11.40
4-40	$\frac{1}{4}$ "	$\frac{3}{32}$ "	H1844-F	25	7244-C	1.25	7244-G	1.90	7244-M 11.30
6-32	$\frac{1}{4}$ "	$\frac{3}{32}$ "	H1846-F	25	7245-C	1.30	7245-G	1.90	7245-M 11.25
8-32	$\frac{5}{16}$ "	$\frac{7}{64}$ "	H1848-F	15	7248-C	1.55	7248-G	2.25	7248-M 13.55
10-32	$\frac{3}{8}$ "	$\frac{1}{8}$ "	H1850-F	15	7249-C	1.70	7249-G	2.45	7249-M 14.85



G-C MOUNTING NUTS STEEL - NICKEL PLATED



Assorted Mounting Nuts			H1920-F	12						
Thread	Width	Thickness								
$\frac{1}{32}$ -32 (Rotary Switch Size)	$\frac{1}{16}$ "	$\frac{1}{16}$ "			7236-C	3.00	7236-G	4.50	7236-M	27.05
$\frac{3}{8}$ -32 (Volume Control Size)	$\frac{1}{16}$ "	$\frac{3}{32}$ "	H1923-F	15	6050-AC	2.45	6050-AG	3.55	6050-AM	21.40
$\frac{1}{16}$ -27 (Pilot Light Size)	$\frac{1}{16}$ "	$\frac{1}{8}$ "			7238-C	4.95	7238-G	7.50	7238-M	44.70
$\frac{1}{32}$ -32 (Toggle Switch Size)	$\frac{1}{16}$ "	$\frac{3}{64}$ "	H1924-F	10	6050-BC	3.35	6050-BG	5.05	6050-BM	30.45
$\frac{1}{32}$ -32 Round Ring Nut (Toggle Switch Size)	$\frac{1}{16}$ "		H1926-F	8	6050-CC	3.70	6050-CG	5.60	6050-CM	33.70



G-C TINNEMAN SPEED NUTS



Assorted Speed Nuts	H1960-F	30				
Speed Nuts, No. 4			6051-C	.80	6051-G	1.25 6051-M 7.40
Speed Nuts, No. 6			6052-C	.85	6052-G	1.25 6052-M 7.55
Speed Nuts, No. 8			6053-C	.85	6053-G	1.25 6053-M 7.55



G-C ACORN NUTS SOLID BRASS - NICKEL PLATED



Assorted Acorn Nuts	H1950-F	10				
Acorn Nuts, 6-32			6031-C	4.05	6031-G	6.10 6031-M 36.70
Acorn Nuts, 8-32			6032-C	4.05	6032-G	6.16 6032-M 36.70
Acorn Nuts, 10-32			6033-C	5.40	6033-G	8.15 6033-M 48.90



G-C KNURLED THUMB NUTS BRASS - NICKEL PLATED



Assorted Knurled Thumb Nuts	H1941-F	10					
Knurled Thumb Nuts, 6-32	H1943-F	8	6655-C	3.20	6655-G	4.85	6655-M 29.15
Knurled Thumb Nuts, 8-32	H1944-F	8	6656-C	3.20	6656-G	4.80	6656-M 28.90
Knurled Thumb Nuts, 10-32	H1945-F	5	6657-C	7.50	6657-G	11.40	6657-M 68.15





G-C WING NUTS NICKEL PLATED



Assorted Wing Nuts	H1931-F	10						
Wing Nuts, 6-32	H1933-F	10	6658-C	3.55	6658-G	5.35	6658-M	32.15
Wing Nuts, 8-32	H1934-F	10	6659-C	2.90	6659-G	4.45	6659-M	26.55
Wing Nuts, 10-32	H1935-F	8	6660-C	2.90	6660-G	4.45	6660-M	26.55



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

—SO-LINE—
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No.

In Box
Quantity

Part No.

List Price
Per 100

Part No.


List Price
Per 144

Part No.

List Price Per
1000 Pcs.



G-C METAL WASHERS NICKEL PLATED



Assorted Metal Washers

Screw Size	Hole Size	O.D.	Thickness	H870-F	80				
No. 4	1/8"	5/32"	1/32"	H874-F	80	6154-C	.25	6154-G	.40
No. 6	5/32"	3/8"	1/32"	H876-F	80	6155-C	.25	6155-G	.40
No. 8	3/16"	7/16"	1/32"	H878-F	80	6156-C	.30	6156-G	.45
No. 10	13/64"	7/8"	1/32"	H880-F	70	7306-C	.35	7306-G	.50
No. 10	13/64"	7/16"	1/32"			7307-C	.30	7307-G	.45
No. 10	13/64"	1/2"	.049			6157-C	.25	6157-G	.40
No. 12	.228	7/16"	.021			7308-C	.35	7308-G	.55
No. 1/4"	5/32"	5/8"	1/16"	H882-F	50	6158-C	.50	6158-G	.75
No. 1/4"	13/64"	1/2"	1/16"			7311-C	.65	7311-G	1.05
No. 5/16"	5/16"	11/16"	1/16"			7312-C	.65	7312-G	.95
								7312-M	5.70



G-C LOCK WASHERS INTERNAL LOCK WASHERS CADMIUM PLATED



Assorted Lock Washers, All Types

		H918-F	45				
Assorted Internal Lock Washers		H920-F	50				
Screw Size	O.D.						
Internal Lock Washers, No. 2		H922-F	35	7322-C	.75	7322-G	1.15
Internal Lock Washers, No. 3				7323-C	.65	7323-G	1.00
Internal Lock Washers, No. 4		H924-F	50	7324-C	.50	7324-G	.75
Internal Lock Washers, No. 6	5/32"	H926-F	50	7326-C	.50	7326-G	.75
Internal Lock Washers, No. 8	21/64"	H928-F	50	7328-C	.50	7328-G	.80
Internal Lock Washers, No. 10	3/8"	H930-F	45	7330-C	.50	7330-G	.80
Internal Lock Washers, No. 1/4"	7/16"			7332-C	.70	7332-G	1.05
Internal Lock Washers, No. 5/16"	19/32"			7333-C	.85	7333-G	1.30
Internal Lock Washers, No. 3/8"	11/16"			7334-C	1.15	7334-G	1.80
Internal Lock Washers, No. 7/16"	7/16"	H938-F	25	7335-C	1.35	7335-G	2.00
Internal Lock Washers, No. 15/32"	19/32"			7338-C	1.70	7338-G	2.55
						7338-M	15.30



EXTERNAL LOCK WASHERS CADMIUM PLATED



Assorted External Lock Washers

Assorted External Lock Washers		H950-F 60					
External Lock Washers, No. 4			7354-C	.50	7354-G	.75	7354-M 4.40
External Lock Washers, No. 6			7356-C	.50	7356-G	.75	7356-M 4.40
External Lock Washers, No. 8			7358-C	.50	7358-G	.80	7358-M 4.80
External Lock Washers, No. 10			7360-C	.50	7360-G	.80	7360-M 4.70
External Lock Washers, No. 1/4" 1/2"			7361-C	.70	7361-G	1.05	7361-M 6.30
External Lock Washers, No. 3/8" 11/16"			7363-C	1.00	7363-G	1.55	7363-M 9.30



SPLIT TYPE LOCK WASHERS CADMIUM PLATED




Assorted Split Type Lock Washers

Screw Size	O.D.	Thickness						
No. 4	3/16"	1/32"		6503-C	.465	6503-G	.70	6503-M 4.10
No. 6	13/64"	1/32"		6504-C	.435	6504-G	.65	6504-M 3.85
No. 8	11/32"	.025		6505-C	.415	6505-G	.60	6505-M 3.65
No. 10	3/16"	.050		6506-C	.36	6506-G	.50	6506-M 3.10
No. 1/4"	7/16"	3/8"		6507-C	.525	6507-G	.75	6507-M 4.60



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION AND SPECIFICATIONS

Part No. Quantity
In Box

Part No. List Price
Per 100

Part No. List Price
Per 144

Part No. List Price Per
1000 Pcs.



G-C SPRING FRICTION WASHERS



Assorted Spring Friction Washers				H750-F	12				
A	B	C	Thickness of Metal						
$\frac{3}{64}$ "	$\frac{3}{16}$ "	$\frac{1}{32}$ "	.012			7385-C	2.60	7385-G	3.95
$\frac{3}{16}$ "	$\frac{3}{8}$ "	$\frac{1}{32}$ "	.008			7386-C	2.20	7386-G	3.35
$\frac{3}{16}$ "	$\frac{1}{8}$ "	$\frac{1}{16}$ "	.008			7387-C	2.15	7387-G	3.25
$\frac{1}{4}$ "	$\frac{3}{8}$ "	$\frac{1}{16}$ "	.012			7389-C	2.45	7389-G	3.75
								7385-M	23.65
								7386-M	20.10
								7387-M	19.60
								7389-M	22.35



G-C CUP FINISHING WASHERS NICKEL PLATED




Assorted Screws and Washers	H1005-F	15					
Assorted Cup Washers	H805-F	40					
Cup Washers, No. 6	H806-F	45	6161-C	.40	6161-G	.65	6161-M 3.85
Cup Washers, No. 8	H808-F	45	6162-C	.45	6162-G	.70	6162-M 4.10
Cup Washers, No. 10	H810-F	35	6163-C	.60	6163-G	.90	6163-M 5.40




G-C C-WASHERS and RETAINING RINGS STEEL - CADMIUM PLATED



Assorted C-Washers	H770-F	25					
Shaft Diam.	A	B	C	D			
$\frac{3}{16}$ "	.171	.125	.062	.031	H772-F	15	6182-C 1.00
$\frac{1}{4}$ "	.234	.156	.046	.031	H774-F	15	6183-C 1.15
$\frac{1}{4}$ "	.260	.187	.062	.031			6184-C 1.15
$\frac{1}{4}$ "	$\frac{3}{32}$ " O.D.	Wire Ring	.029		H778-F	50	6185-C .40
							6182-G 1.55
							6183-G 1.75
							6184-G 1.75
							6185-G .60
							6182-M 9.15
							6183-M 10.40
							6184-M 10.60
							6185-M 3.65




G-C COTTER PINS STEEL - CADMIUM PLATED



Assorted Cotter Pins	H388-F	60					
Diameter	Length Under Eye						
Cotter Pins, $\frac{1}{16}$ "	$\frac{1}{2}$ "			7301-C	.45	7301-G	.70
Cotter Pins, $\frac{1}{16}$ "	1"			7303-C	.55	7303-G	.85
Cotter Pins, $\frac{1}{16}$ "	1 $\frac{1}{4}$ "			7304-C	.70	7304-G	1.05
Cotter Pins, $\frac{3}{32}$ "	$\frac{1}{2}$ "			7305-C	.90	7305-G	1.35
							7301-M 4.10
							7303-M 5.25
							7304-M 6.25
							7305-M 8.00



G-C HAIR PIN COTTERS





Assorted Hair Pin Cotter	H380-F	50					
A	B	C					
$\frac{3}{32}$ "	$\frac{1}{16}$ "	.026		7375-C	.45	7375-G	.70
$\frac{3}{16}$ "	$\frac{1}{16}$ "	.026		7376-C	.45	7376-G	.65
$\frac{1}{2}$ "	$\frac{3}{32}$ "	.026		7377-C	.50	7377-G	.75
$\frac{1}{2}$ "	$\frac{3}{32}$ "	.026		7378-C	.45	7378-G	.65
$2\frac{1}{32}$ "	$\frac{3}{16}$ "	.032		7379-C	.50	7379-G	.80
							7375-M 4.30
							7376-M 4.00
							7377-M 4.60
							7378-M 4.00
							7379-M 4.80



G-C FLAT FIBRE WASHERS



Assorted Flat Fibre Washers	H820-F	35					
Screw Size	I D	O.D.	Thickness				
No. 6	.140	$\frac{1}{4}$ "	$\frac{1}{32}$ "	H824-F	30	6513-C .35	6513-G .55
No. 8	$\frac{1}{16}$ "	$\frac{3}{8}$ "	$\frac{1}{32}$ "	H825-F	30	6514-C .40	6514-G .60
No. 10	.196	$\frac{3}{8}$ "	$\frac{1}{32}$ "	H826-F	30	6515-C .35	6515-G .60
No. $\frac{1}{4}$ "	$\frac{1}{4}$ "	$\frac{1}{2}$ "	$\frac{3}{4}$ "	H827-F	24	6516-C .45	6516-G .75
No. $\frac{3}{8}$ "	.390	$2\frac{3}{4}$ "	$\frac{3}{4}$ "	H828-F	20	6517-C .55	6517-G 1.20
No. $\frac{1}{2}$ "	$\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{1}{2}$ "			6518-C .55	6518-G 1.20
							6513-M 3.25
							6514-M 3.55
							6515-M 3.55
							6516-M 4.45
							6517-M 7.40
							6518-M 7.40



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 100 or 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE Distributor's Standard Display, 10 Boxes
List Price Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope of 100 Units

BOXES OF 144

Gross Packages) Distributor's Standard Carton, 7 Boxes of 144

BULK HARDWARE

(Boxes of 1000) Supplied only in Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. In Box Quantity

Part No. List Price Per 100

Part No. List Price Per 144

Part No. List Price Per 1000 Pcs.



G-C EXTRUDED FIBRE WASHERS




Assorted Extruded and Flat Fibre Washers

H854-F 30

Assorted Extruded Fibre Washers

H855-F 30

A	B	C	D	Screw Size					
5/16"	.187	.140	.039	No. 6					
3/8"	.250	.169	.031	No. 8		6525-C	.90	6525-G	1.40
7/16"	.255	.196	.032	No. 10		6526-C	.90	6526-G	1.40
1/2"	.375	.250	.032	1/4" Shaft		6527-C	1.00	6527-G	1.50
5/8"	.437	.380	.031	3/8" Shaft		6528-C	1.00	6528-G	1.50
					H864-F 20	6529-C	1.05	6529-G	1.60
								6529-M	8.35
								6526-M	8.35
								6527-M	9.15
								6528-M	9.15



G-C SNAP BUTTON HOLE PLUGS NICKEL PLATED



Assorted Hole Plugs

H300-F 8

No. 1710 Asst. 50 Plugs in Box List Price \$2.75

For Hole Dia.	A	B	C	D					
1/4"	13/32"	1/4"	17/64"	5/64"	H306-F 8	1711-AC	4.20	1711-AG	6.25
5/16"	7/16"	1/4"	21/64"	1/16"		1711-BC	4.20	1711-BG	6.25
3/8"	17/32"	3/8"	25/64"	3/64"	H308-F 8	1711-C	4.20	1711-G	6.25
1/2"	21/32"	17/64"	17/32"	5/64"	H310-F 6	1712-C	4.90	1712-G	7.40
5/8"	51/64"	9/32"	41/64"	5/64"	H312-F 6	1713-C	5.56	1713-G	8.34
3/4"	15/16"	19/64"	49/64"	3/32"	H314-F 5	1714-C	6.70	1714-G	10.15
7/8"						1714-AC	7.70	1714-AG	11.65
1"	15/32"	19/64"	11/32"	5/64"	H316-F 5	1715-AC	9.05	1715-AG	13.75
1 1/8"	15/16"	11/32"	1 9/64"	3/32"		1715-BC	9.05	1715-BG	13.75
1 1/4"	17/16"	5/16"	1 17/64"	3/32"		1715-C	9.65	1715-G	14.60
								1715-M	87.55

Punched Vent Type



G-C SNAP-IN VENTILATING PLUGS NICKEL PLATED




Screen Vent Type

Ventilating Plugs, 1" Hole Size, Punched Holes

H334-F 4

Ventilating Plugs, 1" Hole Size, Screen Vent

1709-C	9.75	1709-G	14.60	1709-M	88.10
1708-C	31.95	1708-G	48.35	1708-M	290.50



G-C SNAP-IN TRIMOUNTS




No. 1720 Asst. 100 Trimounts List Price \$1.35

H370-F 20

Assorted Trimounts

To Fit Hole	A	B	Fig. No.								
1/8"	9/32"	3/16"	1		1721-C	1.15	1721-G	1.75	1721-M	10.75	
1/8"	9/32"	13/64"	2	H373-F	25	1722-C	1.15	1722-G	1.75	1722-M	10.75
.136	11/32"	17/64"	3			1723-C	1.25	1723-G	1.85	1723-M	11.25
.136	23/64"	9/32"	4	H375-F	20	1724-C	1.55	1724-G	2.35	1724-M	14.05
5/32"	3/16" X 11/32"	25/64"	5	H378-F	17	1726-C	2.05	1726-G	3.10	1726-M	18.80
5/32"	3/16" X 11/32"	21/32"	6	H379-F	15	1727-C	2.00	1727-G	3.05	1727-M	18.35



G-C DIAL CORD CLIPS NICKEL PLATED



Assorted Dial Cable Clips

H745-F 30

Used on Cord No.	A	B	C						
75 - 75A	1/8"	7/64"	3/32"	H746-F 40	6221-C	.70	6221-G	1.05	6221-M 6.6
74 - 74L	1/4"	5/32"	5/32"		6222-C	.80	6222-G	1.20	6222-M 7.3
73 - 73X	3/8"	9/64"	3/8"		6223-C	.85	6223-G	1.25	6223-M 7.6



A

G-C FUSE CLIPS



B

For 1/4" Glass Fuses, No. 6 Mounting Hole B

H600-F 12

Television Fuse Clip (A)

No. 8618

(\$0.30 List)

Television Fuse Clip

No. 8618-D

(Display 24 No. 8618 \$7.20)

6311-C	1.95	6311-G	2.90	6311-M	17.95
--------	------	--------	------	--------	-------



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's Standard Carton, 7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No.

In Box Quantity

Part No.

List Price Per 100

Part No.

List Price Per 144

Part No.

List Price Per 1000 Pcs.



G-C SOLDERING LUGS TINNED



No. 1020 100 Asst. Solder Lugs List Price \$1.10

Assorted Soldering Lugs

Hole Size	Fig. No.	Length								
Solder Lugs, No. 6	A 1	5/8"			8466-C	1.70	8466-G	2.55	8466-M	15.30
Solder Lugs, No. 6	A	23/32"			8467-C	3.00	8467-G	4.55	8467-M	27.25
Solder Lugs, No. 8	A	23/32"			8468-C	3.25	8468-G	4.90	8468-M	29.40
Solder Lugs, No. 6	B	23/32"	H104-F	25	1021-BC	1.25	1021-BG	1.95	1021-BM	11.55
Solder Lugs, No. 8	B	23/32"	H106-F	25	7445-C	1.25	7445-G	1.95	7445-M	11.60
Solder Lugs, No. 10	B	23/32"			8473-C	1.70	8473-G	2.55	8473-M	15.35
Solder Lugs, No. 6	C	1 1/8"	H108-F	30	1021-CC	.75	1021-CG	1.10	1021-CM	6.70
Solder Lugs, No. 6	F	3/16"	H112-F	30	1021-FC	1.00	1021-FG	1.50	1021-FM	8.95
Solder Lugs, No. 8	F	3/16"	H113-F	30	7451-C	.90	7451-G	1.40	7451-M	8.45
Solder Lugs, No. 6	H	7/8"	H114-F	25	7454-C	.70	7454-G	1.05	7454-M	6.45
Solder Lugs, No. 8	H	7/8"	H117-F	25	7455-C	1.60	7455-G	2.40	7455-M	14.40
Solder Lugs, No. 10	H	7/8"	H118-F	25	7456-C	.95	7456-G	1.50	7456-M	8.90
Solder Lugs, No. 4	K	1 1/8"			7458-C	2.00	7458-G	3.00	7458-M	18.00
Solder Lugs, No. 8	K	1 1/8"			7460-C	2.00	7460-G	3.00	7460-M	18.05
Solder Lugs, No. 10	K	1 1/8"			7461-C	2.00	7461-G	3.00	7461-M	18.05
Solder Lugs, No. 6	L	5/8"	H122-F	20	7462-C	1.15	7462-G	1.70	7462-M	10.30
Solder Lugs, No. 8	L	5/8"			7463-C	1.15	7463-G	1.70	7463-M	10.30
Solder Lugs, No. 6	M	1 1/16"	H124-F	25	7441-C	1.25	7441-G	1.90	7441-M	11.45
Solder Lugs, No. 8	M	1 1/16"	H134-F	25	7442-C	1.20	7442-G	1.85	7442-M	11.05
Solder Lugs, No. 10	M	1 1/16"	H102-F	25	1021-AC	1.55	1021-AG	2.40	1021-AM	14.35
Solderless TV Line Lug	O		H225-F	10	8633-C	1.75	8633-G	2.65	8633-M	15.90




G-C CABLE HOLDER CLAMPS NICKEL PLATED




Assorted Cable Clamps

To Fit Cable	Mounting Hole								
1/8" to 3/8"	No. 6	H500-F	20						
3/8" to 1/4"	No. 6	H502-F	25	6251-C	1.05	6251-G	1.60	6251-M	9.50
1/4" to 3/8"	No. 6	H503-F	20	6252-C	1.20	6252-G	1.80	6252-M	10.75
3/8" to 1/2"	No. 6			7503-C	2.20	7503-G	3.35	7503-M	20.20
1/2" to 5/8"	No. 6	H506-F	15	6253-C	1.35	6253-G	2.05	6253-M	12.25
Baseboard Wire Clips Black Parkerized		H509-F	20	8345-C	2.15	8345-G	3.30	8345-M	19.70



G-C FAHNESTOCK CLIPS NICKEL PLATED



Assorted Fahnestock Clips

Fig.	Length	Width	Mtg. Hole	Max. Wire								
A	1/2"	3/32"	4	16	H592-F	15	6301-C	1.95	6301-G	3.00	6301-M	17.95
B	3/4"	3/16"	6	14	H594-F	14	6302-C	2.30	6302-G	3.55	6302-M	21.20
C	1 1/8"	3/8"	8	10			6303-C	3.95	6303-G	6.05	6303-M	36.15
D	1 1/2"	3/8"	6	10			6304-C	14.65	6304-G	22.30	6304-M	133.45
E	3/4"	3/16"	6	14			6306-C	5.40	6306-G	8.15	6306-M	48.90
F	Ammeter Connections						6307-C	12.65	6307-G	19.20	6307-M	115.10



G-C TERMINAL STRIP ASSORTMENT



Assorted Terminal Strips

H250-F

4

Listed by sizes on page 27

The MASTER—21st Edition


U-122

TRADE DISCOUNT APPLIES TO LIST PRICES ONLY

Copyright by U. C. P., Inc.



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

SO-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. In Box
Quantity

Part No. List Price
Per 100

Part No. List Price
Per 144

List Price Per
Part No. 1000 Pcs.



G-C DIAL PULLEYS BRASS



Assorted Dial Pulleys

H1966-F 6

A	B	C	D (Groove Width)
$\frac{3}{8}$ "	.120	$\frac{1}{8}$ "	$\frac{3}{32}$ "
$\frac{7}{16}$ "	.067	$\frac{13}{64}$ "	$\frac{1}{8}$ "
$\frac{1}{2}$ "	$\frac{1}{8}$ "	$\frac{3}{16}$ "	$\frac{3}{32}$ "
.620	.128	.165	$\frac{1}{16}$ "
.860	.128	$\frac{3}{32}$ "	.050

6057-AC	5.25	6057-AG	7.75	6057-AM	47.40
6057-BC	7.80	6057-BG	11.60	6057-BM	70.35
6057-GC	9.60	6057-GG	14.25	6057-GM	87.10
6057-CC	10.55	6057-CG	15.75	6057-CM	95.85
6057-FC	18.10	6057-FG	27.00	6057-FM	164.55

G-C RADIO KNOB SPRINGS

Assorted Knob Springs

H480-F 18

TV Knob Spring Assortment

H460-F 12

No. 1050 Kit of 35 Springs List Price \$1.10

No. 1051 Kit of 100 Springs List Price \$1.95

Fig. No.	Width	Length	For Knob Shaft Diam.
K1	$\frac{5}{32}$ " Light	$\frac{7}{16}$ "	$\frac{1}{4}$ "
K2	$\frac{5}{32}$ " Heavy	$\frac{7}{16}$ "	$\frac{1}{4}$ "
K3	$\frac{5}{32}$ "	$\frac{3}{16}$ "	$\frac{1}{4}$ "
K4	$\frac{3}{8}$ "	$\frac{3}{32}$ "	$\frac{1}{4}$ "
K5	$\frac{7}{32}$ "	$\frac{13}{32}$ "	$\frac{1}{4}$ "
K6	$\frac{5}{32}$ "	$\frac{3}{8}$ "	$\frac{1}{4}$ "
K6-S	$\frac{5}{32}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ "
K7	$\frac{5}{32}$ "	$\frac{1}{2}$ "	$\frac{1}{4}$ "
K8	$\frac{5}{32}$ "	$\frac{3}{8}$ "	$\frac{1}{4}$ "
K9	$\frac{11}{32}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ "
K10	$\frac{3}{8}$ "	$\frac{3}{8}$ "	$\frac{1}{4}$ "
K11	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{4}$ "
K12	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{3}{16}$ "

TV Knob Spring .202" Shaft

H462-F 10

TV Knob Spring $\frac{3}{16}$ " Flat Shaft

H464-F 10

6460-C	1.20	6460-G	1.80	6460-M	10.75
6461-C	1.25	6461-G	1.85	6461-M	11.25
6462-C	1.00	6462-G	1.50	6462-M	9.10
6463-C	1.30	6463-G	2.00	6463-M	12.05
6464-C	2.10	6464-G	3.15	6464-M	18.95
6465-C	2.65	6465-G	4.05	6465-M	24.15
6466-C	3.15	6466-G	4.80	6466-M	28.75
6467-C	1.40	6467-G	2.15	6467-M	12.95
6468-C	1.70	6468-G	2.55	6468-M	15.30
6469-C	2.65	6469-G	4.05	6469-M	24.15
6470-C	1.70	6470-G	2.55	6470-M	15.40
6471-C	2.85	6471-G	4.35	6471-M	26.15
6472-C	2.65	6472-G	4.00	6472-M	23.95
8541-C	1.40	8541-G	2.15	8541-M	12.95
8542-C	1.70	8542-G	2.60	8542-M	15.50

G-C DIAL DRIVE TENSION SPRINGS and PHONO SPRINGS STEEL - CADMIUM PLATED

Asst. Regular Dial Drive Springs

H401-F 8

Asst. Small Dial Drive Springs

H400-F 10

No. 1055 Kit of 25 Asst. Springs List Price \$1.30

No. 1056 Kit of 100 Asst. Springs List Price \$4.85

Asst. Large Tension Springs

H421-F 10

Asst. Small Tension Springs

H420-F 10

A	B	C	Wire Size	Old No.	List Price
$\frac{1}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{4}$ "	.019	T1	\$0.05
$\frac{1}{8}$ "	1"	$\frac{3}{4}$ "	.019	T2	.06
$\frac{3}{16}$ "	1"	$\frac{5}{8}$ "	.020	T3	.06
$\frac{3}{16}$ "	$1\frac{1}{2}$ "	1"	.020	T4	.06
$\frac{1}{4}$ "	$1\frac{1}{2}$ "	1"	.026	T5	.08
$\frac{1}{4}$ "	2"	$1\frac{1}{2}$ "	.026	T6	.10

6450-C	5.70	6450-G	8.65	6450-M	51.70
6451-C	4.25	6451-G	6.50	6451-M	38.85
6452-C	4.75	6452-G	7.25	6452-M	43.35
6453-C	4.90	6453-G	7.40	6453-M	44.50
6454-C	6.30	6454-G	9.60	6454-M	57.50
6455-C	7.80	6455-G	11.85	6455-M	70.95

G-C PHONOGRAPH SPRINGS STEEL - CADMIUM PLATED

No. 6478 Kit of 50 Springs

List Price \$2.75

No. 6479 Kit of 100 Springs

List Price \$4.85

Asst. Small Phono Turntable Springs


H450-F 8

Asst. Large Phono Turntable Springs

H452-F 8

A	B	C	Wire Size
$\frac{3}{16}$ "	$\frac{3}{16}$ "	$\frac{1}{8}$ "	.008
$\frac{3}{16}$ "	$\frac{3}{16}$ "	$\frac{1}{2}$ "	.016
$\frac{3}{16}$ "	$\frac{13}{32}$ "	$\frac{13}{32}$ "	.014
$\frac{3}{16}$ "	$1\frac{1}{8}$ "	$\frac{3}{4}$ "	.014
$\frac{1}{4}$ "	$\frac{13}{32}$ "	$\frac{13}{32}$ "	.006
$\frac{3}{32}$ "	$1\frac{1}{8}$ "	$\frac{3}{4}$ "	.010
$\frac{3}{16}$ "	$\frac{3}{16}$ "	$\frac{1}{4}$ "	.033

7535-C	6.00	7535-G	9.10	7535-M	54.50
7537-C	4.40	7537-G	6.70	7537-M	40.00
7539-C	4.25	7539-G	6.45	7539-M	38.50
7543-C	5.10	7543-G	7.75	7543-M	46.50
7544-C	6.10	7544-G	9.25	7544-M	55.50
7545-C	6.90	7545-G	10.45	7545-M	62.55
7547-C	4.25	7547-G	6.45	7547-M	38.50



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard Display, 10 Boxes
List Price Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope of 100 Units

BOXES OF 144
(Gross Packages)
Distributor's Standard Carton, 7 Boxes of 144

BULK HARDWARE
(Boxes of 1000)
Supplied only in Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No. Quantity In Box

Part No. List Price Per 100

Part No. List Price Per 144

Part No. List Price Per 1000 Pcs.

G-C COMPRESSION SPRINGS



Asst. Small Compression Springs
Asst. Large Compression Springs

H440-F 20
H441-F 15

G-C PHONO TURNTABLE MOUNTING SPRINGS



O.D. Length Wire Size No. of Coils
1" x 1 1/16" 13/16" .079 4

7497-C 3.60 7497-G 5.40 7497-M 32.50

G-C BRASS EYELETS



Asst. Rivets and Eyelets
Asst. Eyelets and Clamps
Eyelet Assortment

H526-F 55
H744-F 60
H510-F 50

Shank Dia.	Length Under Head	Head Dia.
.087	1/4"	.145
.087	5/32"	.145
.087	3/32"	.145
.087	1/32"	.180
.123	5/32"	.197
.123	3/32"	.195
.123	1/4"	.195
.123	5/32"	.195
.125	3/4"	.289
.127	1 1/32"	.222
.182	3/16"	.315

7251-C	.30	7251-G	.50	7251-M	2.90
7252-C	.40	7252-G	.60	7252-M	3.65
7253-C	.45	7253-G	.70	7253-M	4.10
7254-C	1.20	7254-G	1.85	7254-M	11.15
7257-C	.55	7257-G	.85	7257-M	5.10
7259-C	.45	7259-G	.70	7259-M	4.10
7260-C	.60	7260-G	.90	7260-M	5.35
7261-C	.60	7261-G	.90	7261-M	5.45
7264-C	1.00	7264-G	1.55	7264-M	9.35
7265-C	1.25	7265-G	1.90	7265-M	11.45
7269-C	.35	7269-G	.55	7269-M	3.25

G-C RIVETS NICKEL PLATED



Asst. Rivets and Eyelets
Rivet Assortment
TV Interlock Receptacle Rivets

H526-F 55
H525-F 50
H527-F Asst.

Rivets	Shank Diameter	Length Under Head
Rivets	.059	5/32"
Rivets	.059	3/16"
Rivets	.059	1/4"
Rivets	.088	3/16"
Rivets	.098	3/16"
Rivets	.121	1/8"
Rivets	.121	3/16"
Rivets	.121	1/4"
Rivets	.121	5/16"
Rivets	.121	1/2"
Rivets	.146	3/16"

7276-C	1.00	7276-G	1.50	7276-M	8.95
7277-C	1.00	7277-G	1.50	7277-M	8.95
7278-C	.65	7278-G	1.00	7278-M	6.05
7280-C	1.05	7280-G	1.60	7280-M	9.65
7283-C	1.10	7283-G	1.70	7283-M	10.15
7286-C	.85	7286-G	1.30	7286-M	7.95
7288-C	.65	7288-G	1.00	7288-M	6.10
7290-C	.70	7290-G	1.05	7290-M	6.35
7291-C	.75	7291-G	1.10	7291-M	6.70
7293-C	.70	7293-G	1.10	7293-M	6.60
7296-C	.80	7296-G	1.25	7296-M	7.45

G-C GRID CAPS NICKEL PLATED



Assorted Grid Caps

H609-F 8

Glass Tube Grid Caps

A

6291-C 1.50 6291-G 2.30 6291-M 13.75

Metal Tube Grid Caps

B

6292-C 1.50 6292-G 2.30 6292-M 13.80

TV Spring Type Grid Caps, Asstd.

H610-F 5

1/4" High-Voltage Spring Grid Cap

8838 IRC 4.30 8838 IRG 6.50 8838-1RM 38.90

3/8" High-Voltage Spring Grid Cap

8838 2RC 4.45 8838 2RG 6.80 8838-2RM 40.70

1/4" Insulated High-Voltage Grid Cap

H612-F 1

8834-C 32.30 8834-G 49.00 8834-M 293.55


3/8" Insulated High-Voltage Grid Cap

H614-F 1

8835-C 32.30 8835-G 49.00 8835-M 293.55



**GENERAL CEMENT
MANUFACTURING CO.**
ROCKFORD, ILLINOIS, U.S.A.



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION AND SPECIFICATIONS

Part No.

Quantity
In Box

Part No.


List Price
Per 100

Part No.

List Price
Per 144

Part No.

List Price Per
1000 Pcs.



G-C RUBBER GROMMETS




Assorted Soft Grommets

No. 1040 Kit of 50 Asstd. Grommets List Price \$1.15

H025-F 15

(For Switch Box Knock-Out)

A	B	C	D	E					
11/32"	1/8"	3/16"	1/16"	1/4"	H030-F	16	1041-2C 1.20	1041-2-G 1.80	1041-2-M 10.80
7/16"	3/16"	7/32"	1/16"	5/16"	H032-F	14	1041-C 1.40	1041-G 2.15	1041-M 12.95
9/16"	1/4"	1/4"	1/16"	3/8"	H034-F	12	1042-C 1.80	1042-G 2.70	1042-M 16.35
1/2"	1/4"	3/8"	1/8"	3/8"			7566-C 2.60	7566-G 3.95	7566-M 23.70
5/8"	3/8"	1/4"	1/16"	1/2"	H036-F	10	1043-C 2.00	1043-G 3.05	1043-M 18.35
13/16"	1/2"	9/32"	1/16"	5/8"	H038-F	8	1043-1C 3.10	1043-1-G 4.65	1043-1-M 28.00
1"	3/8"	1/4"	1/16"	7/8"			7569-C 3.05	7569-G 4.65	7569-M 27.80



G-C PURE GUM GROMMETS

VERY SOFT LIVE RUBBER GROMMETS FOR SHOCK AND VIBRATION DAMPENING.
FOR MOUNTING TUNING CONDENSERS, SOCKETS, PHONO MOTORS, CHASSIS, ETC.




Assorted Pure Gum Grommets

No. 7581 Kit of 100 Asst. Grommets List Price \$2.45

H040-F 12

A	B	C	D	E					
7/16"	3/16"	7/32"	1/16"	5/16"	H042-F	12	7582-C 1.70	7582-G 2.60	7582-M 15.65
9/16"	1/4"	1/4"	1/16"	3/8"	H043-F	10	7584-C 2.45	7584-G 3.70	7584-M 22.25



G-C RUBBER CHASSIS MOUNTS



Assorted Chassis Mounts

Rubber Washer and Bumper Asst.

No. 1030 Kit of 25 Mounts List Price \$2.00

H075-F 12

H083-F 12

A	B	C	D	E					
3/4"	5/32"	7/32"	1/2"	1/4"			7571-C 7.00	7571-G 10.65	7571-M 63.90
3/4"	1/8"	3/8"	1/2"	1/4"			1031-C 7.00	1031-G 10.65	1031-M 63.90
3/4"	7/16"	1/2"	7/16"	3/16"	H076-F	5	1032-C 4.35	1032-G 6.65	1032-M 39.80
3/4"	11/16"	3/4"	7/16"	3/16"			1033-C 8.90	1033-G 13.55	1033-M 81.05
1"	3/8"	1/2"	1/2"	1/4"			1034-C 8.40	1034-G 12.75	1034-M 76.45
1 1/4"	3/8"	1/2"	1/2"	1/4"			1036-C 8.80	1036-G 13.35	1036-M 80.05



G-C VOICE COIL DUST FELTS



Assorted Dust Felts

H740-F 15

Diameter				
Dust Felts 3/4"		1081-C .55	1081-G .80	1081-M 4.90
Dust Felts 1"		1082-C .90	1082-G 1.40	1082-M 8.35
Dust Felts 1 1/4"		1083-C 1.70	1083-G 2.60	1083-M 15.65
Dust Felts 1 1/2"		1084-C 1.80	1084-G 2.70	1084-M 16.25
Dust Felts 1 3/4"		1085-C 1.85	1085-G 2.80	1085-M 16.75
Dust Felts 2 1/4"		1085-AC 2.15	1085-AG 3.25	1085-AM 19.45



G-C RADIO KNOB FELTS



3/4" O.D. x 1/4" Hole, Brown	H760-F 40	1065-C .40	1065-G .60	1065-M 3.75
------------------------------	-----------	------------	------------	-------------

Copyright by U. C. P. Inc.



TRADE DISCOUNT APPLIES TO LIST PRICES ONLY

The MASTER—21st Edition

U-125



GENERAL CEMENT
MANUFACTURING CO.
ROCKFORD, ILLINOIS, USA



HANDY G-C HARDWARE

In Convenient Packages:

1. Plastic Boxes or Envelopes
2. Boxes of 144 (Gross)
3. Bulk Boxes of 1000.

HINGED COVER PLASTIC BOXES

50-LINE
Distributor's Standard
Display, 10 Boxes
List Price
Per Box **50c**

HUNDRED PAC IN PLASTIC ENVELOPES

Handy Envelope
of 100 Units

BOXES OF 144

(Gross Packages)
Distributor's
Standard Carton,
7 Boxes of 144

BULK HARDWARE

(Boxes of 1000)
Supplied only in
Multiples of 1000

DESCRIPTION and SPECIFICATIONS

Part No.

In Box
Quantity

Part No.

List Price
Per 100

Part No.

List Price
Per 144

Part No.

List Price Per
1000 Pcs.



G-C CHASSIS FELT FEET SCREW TYPE



Asst. Screw Type Chassis Felt Feet

H085-F

4

A B C Type of Screw

1/2" 3/16" 1/2" No. 6 x 1/2" Sheet Metal Pointed

1/2" 3/16" 1/2" 6-32 Machine

3/4" 1/4" 1/2" No. 6 x 1/2" Sheet Metal Pointed

3/4" 1/4" 1/2" 10-32 Machine

1086-BC 10.65

1086-BG 16.20

1086-BM 97.00

1087-C 10.20

1087-G 15.45

1087-M 92.55

1088-C 12.55

1088-G 19.10

1088-M 114.35

1089-C 12.40

1089-G 18.80

1089-M 112.60



G-C RUBBER FEET — Screw Type

45c ENV. SUPPLIED WITH SCREWS—GROSS and THOUSANDS PKGS. WITHOUT SCREWS



Asst. Screw Type Rubber Feet

H050-F

8

O.D. High

3/8" 3/16"

1/2" 1/4"

5/8" 5/16"

H052-F

8

1075-BC 1.00

1075-BG 1.55

1075-BM 9.35

H054-F

8

1075-CC 1.65

1075-CG 2.50

1075-CM 15.00


H056-F

8

1075-FC 2.50

1075-FG 3.80

1075-FM 22.75



G-C RUBBER BUTTON BUMPERS JUST PUT IN HOLE



A B C E
O.D. Height Hole Height

3/8" 3/8" 3/16" 3/16"

1/2" 1/2" 1/4" 1/4"

5/8" 5/8" 3/8" 5/16"

H058-F

8

7596-C 1.60

7596-G 2.45

7596-M 14.75

7597-C 2.35

7597-G 3.60

7597-M 21.60

7598-C 3.80

7598-G 5.80

7598-M 34.75



G-C RUBBER TACK BUMPERS



3/8" O.D. Rubber Tack Bumpers

H071-F

10

1075-C 2.10

1075-G 3.15

1075-M 18.95



G-C FELT PADS



Assorted Felt Pads

H074-F

40

1/2" O.D. x 1/4" Thick Felt Pads

1071-C .35

1071-G .50

1071-M 3.05



G-C CORD STRAIN RELIEFS



Will Fit P.O.S.J. Cord

H048-F

5

6675-C 5.95

6675-G 9.00

6675-M 54.00



G-C ESCUTCHEON PINS



Asst. Escutcheon Pins

H560-F

100

Length Diam. Finish

1/4" No. 18 Stat. Bronze

1/4" No. 19 Stat. Bronze

1/4" No. 20 Stat. Bronze

1" No. 15 Nickel Plated

7526-C .30

7526-G .45

7526-M 2.85

7527-C .35

7527-G .50

7527-M 3.00

7528-C .50


7528-G .80

7528-M 4.75


7529-C 1.40

7529-G 2.10

7529-M 12.60



G-C ANGLES and BRACKETS



Assorted Angles and Brackets

H570-F

12

A B C Hole Size

1/4" 3/16" 3/32" 6

3/8" 1/4" 3/32" 6

1/2" 1/4" 3/8" 6

6261-C 1.25

6261-G 1.90

6261-M 11.50

6262-C 1.55

6262-G 2.35

6262-M 14.25

6263-C 1.80

6263-G 2.70

6263-M 16.25